



## Alcatel-Lucent Office Communication Solutions for SMBs



Office Global offer  
Commercial Catalog

**Italy - Spring 2009**

<b>1.</b>	<b>Ready to sell &amp; Promotion packs</b>
1.1	Office Smart packs
1.2	Promotion packs
<b>2.</b>	<b>Platform Communication Services</b>
2.1	OmniPCX Office platforms
	Office Compact & Advanced units
	Office Premium units
	Alcatel-Lucent Integration Service
2.2	Extended Communication Server
	Extended Communication Server Compact Edition
	Extended Communication Server Premium Edition
	Extended Communication Server Add Hard
2.3	OmniPCX Common hardware
	Public & Private accesses
	User interfaces
	Infrastructure
	Mechanics
	Power supply back-up
	System cables
<b>3.</b>	<b>Office software &amp; applications</b>
3.1	Office Communication Suites
	Office Communication Suites First
	Office Communication Suites Business
	Office Communication Suites Guest
	Office Communication Suites Business IP
	Office Extended Communication Suite
3.2	Office Software licenses
	User licenses
	Extended Communication user licenses
	Trunk licenses
	Voice Greeting services
	Automated Attendant services
	Teamwork services
	Network services
	Metering services
	Extended Communication mobility
	Extended Communication services
3.3	Softphone application
	PIMphony user
	PIMphony Options & Upgrade
3.4	Contact Center
	OmniTouch Call Center Office
	OmniTouch Call Center Office options & upgrade
<b>4.</b>	<b>OmniVista</b>
4.1	4760
	Network Management application
	Options & Upgrade

<b>5.</b>	<b>User applications</b>
5.1	Open Telephony interfaces
	CSTA interfaces
	TAPI/TSAPI Interfaces
5.2	e-Communication Center
5.3	XML Interfaces
<b>6.</b>	<b>Sets &amp; On site mobility equipments</b>
6.1	Desktop sets
	8 Series IP Touch sets
	9 Series digital sets
	Options for 8&9 Series sets
	Accessories for 8&9 Series sets
	Common option and accessories for 8&9 series and Reflexes™ sets
	Power supply for sets
6.2	DECT on site mobility equipment
	DECT handsets
	Accessories for DECT handsets
	Indoor & Outdoor Base stations
	Accessories for base stations
6.3	WLAN on site mobility equipment
	WLAN handsets
	Accessories for WLAN handsets
	VoWLAN servers
	Accessories for VoWLAN servers
<b>7.</b>	<b>Complementary equipments</b>
7.1	Software add-on instal base
7.2	Documentation
<b>8.</b>	<b>Migration &amp; Maintenance</b>
8.1	OmniPCX Migration & Upgrade
	OmniPCX Migration & Upgrade
	Extended Communication Server upgrade
8.2	Maintenance
<b>9.</b>	<b>Support Services</b>
9.1	Software Support Services
	OmniPCX Office
	Extended Communication Server
	Software Support upgrade
<b>10.</b>	<b>Partner Tools</b>
10.1	Commercial tools
10.2	Technical tools

## **11. Alcatel-Lucent OmniData**

### **11.1 OmniSwitch 6400**

**OS6400 Chassis & PS**

**OS6400 Accessories**

### **11.2 OmniStack LS 6200**

### **11.3 Transceivers**

**Gigabit Transc.(SFP&GBIC MSA)**

**100Mbit Ethernet Transceivers**

### **11.4 OmniAccess WLAN**

**OAW-4308 Wireless Switch**

**OAW-4302 Wireless Switch**

**OmniAccess Wireless AP**

**OmniAccess Wireless Spares**

## Glossary & Miscellaneous



Indicates some advise or important information.



Indicates the new commercial items compared to the previous offer.



Indicates a price changed product.



Indicates a discontinued Item.



Indicates a stock permitting Item



Indicates in the catalogue a software license or a package including software licenses opening Alcatel-Lucent Office Communication Solutions features.



Service Type **B**: Identifies the compatible Service type with the software license **Office Communication Solutions (B)** items.

**APA** Analog Public Access

**BRA** Basic Rate Access

**CSTA** Computer Supported Telecommunications Applications

**CTI** Computer Telephony Integration

**DDI** Direct Dialing Inward

**DECT** Digital Enhanced Cordless Telecommunication

**DSL** Digital Subscriber Line

**IP** Internet Protocol

**IPsec** IP security

**ISDN** Integrated Services Digital Network

**ISVPN** Integrated Services Virtual Private Network

**LAN** Local Area Network

**Mbps** Mega Bits Per Second

**NGN** Next Generation Networking

**PC** Personal Computer

**PPP** Point to Point Protocol

**PPTP** Point-to-Point Tunnelling Protocol

**PRA** Primary Rate Access

**SIP** Session Initiation Protocol

**TAPI** Telephony Application Programming Interface

**VoIP** Voice over Internet Protocol

**VPN** Virtual Private Network

**WAN** Wide Area Network

**WPL** World Price List

**Z** Analog (telephone set or access)

## 1. Ready to sell & Promotion packs

### 1.1 Office Smart packs

# Alcatel-Lucent Office - Global offer Ready to sell Packs

#### Office Smart Pack - Compact Unit


##### Smart Packs, one configuration, one price

The Alcatel-Lucent Office Smart Packs are at your disposal to simplify the quotation and are ready to install. The Smart Packs are based on the Compact Unit and the corresponding boards.

All Smart Packs include the same content as the Business Software Pack

- Voice mail application (2 ports and 60 min) and Personal Assistant
- Remote customization for voice mail and automated attendant
- Up to 4 customizable company greetings - 2 mn customized Music on Hold - 2 system languages
- ARS - DISA - 3000 names directory - 1000 NMC tickets
- up to 25 PIMphony Basic sessions

Furthermore, Smart Packs are fully integrated thanks to Alcatel-Lucent Integration Service.



#### Office Smart Pack - Advanced Unit 1

##### Smart Packs, one configuration, one price

The Alcatel-Lucent Office Smart Packs are at your disposal to simplify the quotation and are ready to install. The Smart Packs are based on the following hardware :

- **Advanced Unit 1** for configuration from 12 up to 20 users
- plus boards, cords and DVD ROM

All Smart Packs include the same content as the Business Software Pack

- Voice mail application (2 ports and 60 min) and Personal Assistant
- Remote customization for voice mail and automated attendant
- Up to 4 customizable company greetings - 2 mn customized Music on Hold - 2 system languages
- ARS - DISA - 3000 names directory - 1000 NMC tickets
- up to 25 PIMphony Basic sessions

Furthermore, Smart Packs are fully integrated thanks to Alcatel-Lucent Integration Service.



#### Office Analog Smart Pack

##### Smart Packs, one configuration, one price

The Alcatel-Lucent Office Analog Smart Packs are at your disposal to simplify the quotation and are ready to install. The Smart Packs are based either on the Compact Unit or Advanced Unit and the corresponding interface boards equipped with analog trunks.

All Smart Packs are delivered with the power cord, blind slots and the DVD ROM OmniPCX Office Documentations.

All Smart Packs include the same content as the Business Software Pack

- Voice mail application (2 ports and 60 min) and Personal Assistant
- Remote customization for voice mail and automated attendant
- Up to 4 customizable company greetings - 2 mn customized Music on Hold - 2 system languages
- ARS - DISA - 3000 names directory - 1000 NMC tickets
- up to 25 PIMphony Basic sessions

Furthermore, Smart Packs are fully integrated thanks to Alcatel-Lucent Integration Service.







- OmniPCX Office Compact R7, Business Software Pack Very Small - 8 advanced users & 8 analog users software license, 2 mixed board software licenses opening 2TO, Mixed board with 2TO + 4 UAI + 4 SLI -MIX2/4/4






**3EH07560AA AA38**

**1190,00 EUR**

## 1. Ready to sell & Promotion packs

- |  |  |                        |                    |
|--|--|------------------------|--------------------|
| • OmniPCX Office Compact R7, Business Software Pack Very Small - 8 advanced users & 8 analog users software license, 4 mixed board software licenses opening 4T0, Mixed board with 4T0 + 8 UAI + 4 SLI -MIX4/8/4                                   |  | <b>3EH07561AA AA38</b> | <b>1640,00 EUR</b> |
| • OmniPCX Office Advanced R7, Business Software Pack Small - 16 advanced users & 16 analog users software license, 4 mixed board software license opening 4T0, Mixed board with 4T0 + 8 UAI + 4 SLI - MIX4/8/4,UAI 4                               |  | <b>3EH07562AA AA38</b> | <b>2270,00 EUR</b> |
| • OmniPCX Office Advanced R7, Business Software Pack Small - 16 advanced users & 16 analog users software license, 4 mixed board software license opening 4T0, Mixed board with 4T0 + 8 UAI + 4 SLI - MIX4/8/4,UAI 8                               |  | <b>3EH07563AA AA38</b> | <b>2560,00 EUR</b> |
| • OmniPCX Office Compact R7, Business Software Pack Very Small - 8 advanced users & 8 analog users software license, 2 mixed board software licenses opening 4AT, Mixed board with 4AT + 8 UAI + 4SLI -AMIX4/8/4                                   |  | <b>3EH07564AA AA38</b> | <b>1190,00 EUR</b> |
| • OmniPCX Office Advanced R7, Business Software Pack Small - 8 advanced & 8 analog software license, 2 mixed board software license opening 4AT, Mixed board with 4AT + 8 UAI + 4SLI - AMIX4/8/4, SLI 4  |  | <b>3EH07565AA AA38</b> | <b>1540,00 EUR</b> |
| • OmniPCX Office Advanced R7, Business Software Pack Small - 16 advanced & 16 analog software license, 4 mixed board software license opening 8AT, Mixed board with 4AT + 4 UAI + 8SLI - AMIX4/4/8, Mixed board with 4AT + 4UAI + 4SLI - AMIX4/4/4 |  | <b>3EH07566AA AA38</b> | <b>2060,00 EUR</b> |

## 1.2 Promotion packs

- |  |  |                        |                   |
|--|--|------------------------|-------------------|
| • Upgrade to OmniPCX Office R7 promotion - 1 additional IP user software license. This item is not permitted unless the order also contains a software upgrade to R7.  |    | <b>3EH07603AA CC30</b> | <b>50,00 EUR</b>  |
| • Upgrade to OmniPCX Office R7 promotion - 10 additional IP users software license . This item is not permitted unless the order also contains a software upgrade to R7.   |    | <b>3EH07603AB CC30</b> | <b>315,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - 1 additional on-site mobile DECT user software license. This item is not permitted unless the order also contains a software upgrade to R7.                             |  | <b>3EH07604AA CC30</b> | <b>20,00 EUR</b>  |
| • Upgrade to OmniPCX Office R7 promotion - 10 additional on-site mobile DECT users software license. This item is not permitted unless the order also contains a software upgrade to R7.                           |  | <b>3EH07604AB CC30</b> | <b>190,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - 1 IP-PIMphony media user software license . This item is not permitted unless the order also contains a software upgrade to R7.   |  | <b>3EH07605AA CC30</b> | <b>90,00 EUR</b>  |
| • Upgrade to OmniPCX Office R7 promotion - 10 IP-PIMphony media users software license . This item is not permitted unless the order also contains a software upgrade to R7.                                       |  | <b>3EH07605AB CC30</b> | <b>576,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - 1 PIMphony Attendant user software license . This item is not permitted unless the order also contains a software upgrade to R7.  |  | <b>3EH07606AA CC30</b> | <b>240,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - Voice mail, up to 4 hours storage software license. This item is not permitted unless the order also contains a software upgrade to R7.                                 |  | <b>3EH07607AA CC30</b> | <b>200,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - Voice mail, up to 8 hours storage software license. This item is not permitted unless the order also contains a software upgrade to R7.                                 |  | <b>3EH07607AB CC30</b> | <b>250,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - Voice mail, up to 200 hours storage software license . This item is not permitted unless the order also contains a software upgrade to R7.                              |  | <b>3EH07607AC CC30</b> | <b>750,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - Voice mail, 2 additional ports software license. This item is not permitted unless the order also contains a software upgrade to R7.                                    |  | <b>3EH07608AA CC30</b> | <b>150,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - Personalized Automated Attendant, Audiotext and Fax modem switch software license . This item is not permitted unless the order also contains a software upgrade to R7. |  | <b>3EH07609AA CC30</b> | <b>120,00 EUR</b> |
| • Upgrade to OmniPCX Office R7 promotion - 6-party conference software license. This item is not permitted unless the order also contains a software upgrade to R7.  |  | <b>3EH07610AA CC30</b> | <b>250,00 EUR</b> |

## 1. Ready to sell & Promotion packs

- SMART IP convergence TURN program: 4068 EE IP set URBAN GREY available under condition : 1 x Communication Suite Business IP (VS, S, M, L, XL) + 1 x Omnistack 62xx minimum or 1 x Omniswitch 6400 in the same order

**3GV28110WB DD15****1,00 EUR**



## 2. Platform Communication Services

### 2.1 OmniPCX Office platforms

#### Office Compact & Advanced units


## Alcatel-Lucent Office - Global offer Platform Communication Services

### Compact Unit & Advanced Unit 1, 2 or 3 with standard CPU-4

The Alcatel-Lucent OmniPCX Office Compact and Advanced Edition are perfect for Standard and Advanced communication solutions.

Choose the right Unit to adapt the system to the customer capacity.

- Compact Unit wall mounted cabinet, with 1 free slot
- Advanced Unit 1 (Rackable, stackable or wall mounted), with 2 free slots
- Advanced Unit 2 (Rackable, stackable or wall mounted), with 5 free slots
- Advanced Unit 3 (Rackable or stackable), with 8 free slots
- Average 10 mn battery backup except for Compact Unit
- Customer Data saving & Remote maintenance/ Software downloading



### Communication Suite available with Compact, Advanced and Premium Unit

- \* **First Software Pack** for very small & Small businesses with basic communication services (no voice mail)
- \* **Business VSmall, Small, Medium, Large and XLarge Software Pack** with advanced communication services for small & medium businesses with advanced communication services
- \* **Guest Small, Medium, Large and XLarge Software Pack** for small & medium hospitality businesses with advanced communication services
- \* **Business IP VSmall, Small, Medium, Large and XLarge Software Pack** for small & medium businesses with advanced IP telephony communication services & application openness

### Advanced Unit 3 Packs UAI16 and SLI16

Advanced Unit 3 packs are designed to meet the larger capacities at an attractive price.



Advanced Unit 3 packs are orderable only with Alcatel-Lucent Integration Service and Communication Suite  
L or XL (Business or Guest)

• Alcatel-Lucent OmniPCX Office Compact Unit 2nd generation	<b>3EH08433AA AA39</b>	<b>340,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Advanced Unit 1	<b>3EH08434AA AA31</b>	<b>560,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Advanced Unit 2 - 220V	<b>3EH08435AA AA32</b>	<b>900,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Advanced Unit 3 - 220V	<b>3EH08436AA AA33</b>	<b>1500,00 EUR</b>
• Pack Alcatel-Lucent OmniPCX Office Advanced Unit 3 - 220V - including 2 digital interface boards UAI16-1 - Only orderable together with a L or XL communication suite (Business or Guest)	<b>3EH07571AA AA33</b>	<b>2350,00 EUR</b>
• Pack Alcatel-Lucent OmniPCX Office Advanced Unit 3 - 220V - including 2 analog Interface boards SLI16-1 - Only orderable together with a L or XL communication suite (Business or Guest)	<b>3EH07572AA AA33</b>	<b>2560,00 EUR</b>

## 2. Platform Communication Services

### Office Premium units

#### Premium Unit 1, 2 or 3

##### Rackable or stackable cabinets with enhanced CPUe-2 and Hard Disk

The Alcatel-Lucent OmniPCX Office Premium Edition is perfect for advanced communication solution and Internet services. Furthermore, the Premium Edition is ready for all features requiring a Hard Disk and allows to increase the capacity of PIMphony to 200.

Choose the right Unit to adapt the system to the customer capacity.

- Premium Unit 1 (Rackable, stackable or wall mounted), with 2 free slots
- Premium Unit 2 (Rackable, stackable or wall mounted), with 5 free slots
- Premium Unit 3 (Rackable or stackable), with 8 free slots
- Average 10 mn battery backup & Customer Data saving & Remote maintenance/ Software downloading



##### Office Communication Suite available with Premium Unit

- \* **First Software Pack** for very small & Small businesses with basic communication services
- \* **Business VSmall, Small, Medium, Large and XLarge Software Pack** with advanced communication services for small & medium businesses
- \* **Guest Small, Medium, Large and XLarge Software Pack** for small & medium hospitality businesses with advanced communication services
- \* **Business IP VSmall, Small, Medium, Large and XLarge Software Pack** for small & medium businesses with advanced IP telephony communication services & application openness

• Alcatel-Lucent OmniPCX Office Premium Unit 1	<b>3EH08437AA AA31</b>	<b>950,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Premium Unit 2 - 220V	<b>3EH08438AA AA32</b>	<b>1500,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Premium Unit 3 - 220V	<b>3EH08439AA AA33</b>	<b>2100,00 EUR</b>

### Alcatel-Lucent Integration Service

#### Alcatel-Lucent Integration Service

##### Alcatel-Lucent OmniPCX Office is ready to install

The Alcatel-Lucent Integration Service provides the following services :

- Systems are downloaded with the Countries specificities
- Download of Office Communication Suite and Software licenses
- The boards and daughterboards are plugged into the system
- The system is automatically delivered with power cord and DVD ROM



• Alcatel-Lucent Integration Service for OmniPCX Office Compact Unit Release 7, service including the download of the software, software licenses, boards and blind slots integration and delivered with the power cord and a DVD documentation	<b>3EH07460AC GG41</b>	<b>50,00 EUR</b>
• Alcatel-Lucent Integration Service for OmniPCX Office Advanced and Premium Unit 1 Release 7, service including the download of the software, software licenses, boards and blind slots integration and delivered with the power cord and a DVD documentation	<b>3EH07461AC GG41</b>	<b>70,00 EUR</b>
• Alcatel-Lucent Integration Service for OmniPCX Office Advanced and Premium Unit 2 Release 7, service including the download of the software, software licenses, boards and blind slots integration and delivered with the power cord and a DVD documentation	<b>3EH07462AC GG41</b>	<b>90,00 EUR</b>
• Alcatel-Lucent Integration Service for OmniPCX Office Advanced, Premium Unit 3 Release 7, service including the download of the software, soft.licenses, boards and blind slots integration, delivered with the power cord and a DVD doc.	<b>3EH07463AC GG41</b>	<b>150,00 EUR</b>

## 2. Platform Communication Services

### 2.2 Extended Communication Server

#### Extended Communication Server

**Compact Edition : the quietest server "desktop" on the market !**

512 Mb of RAM  
1x160 GB min. HDD  
2xRJ45 10/100 Mbps ethernet cards  
3rd Ethernet card for DMZ management  
1 console port  
2 PCI Slots available



**Premium Edition : a high performance platform**



2 Gb of RAM  
2x250 GB min. or 2x500 GB min. HDD RAID 1  
3rd HDD 250 or 500 Gb dedicated to data backup  
2xRJ45 10/100/1000 Mbps ethernet cards  
3rd Ethernet card for DMZ management  
1 console port, 1 PCI Slot, 2 USB ports, 1VGA slot + 1 parallel slot  
1 Internal drive CD /DVD

#### Extended Communication Server Compact Edition

• Extended Communication Server Compact Edition	<b>3JE01015AA AA50</b>	<b>1500,00 EUR</b>
---	------------------------	--------------------

#### Extended Communication Server Premium Edition

• Extended Communication Server Premium Edition	<b>3JE01016AA AA50</b>	<b>2500,00 EUR</b>
• Extended Communication Server Premium Edition MAX	<b>3JE01017AA AA50</b>	<b>3500,00 EUR</b>

#### Extended Communication Server Add Hard

• Power Cord UK for Extended Communication Server Compact Edition	<b>3JE03008AA AA51</b>	<b>12,00 EUR</b>
• Power Cord Switzerland for Extended Communication Server Compact Edition	<b>3JE03009AA AA51</b>	<b>12,00 EUR</b>
• Power Cord UK for Extended Communication Server Premium Edition	<b>3JE03010AA AA51</b>	<b>12,00 EUR</b>
• Power Cord Switzerland for Extended Communication Server Premium Edition	<b>3JE03011AA AA51</b>	<b>12,00 EUR</b>
• Wifi Card for Extended Communication Server Compact Edition	<b>3JE03001AA AA51</b>	<b>255,00 EUR</b>

## 2. Platform Communication Services

### 2.3 OmniPCX Common hardware

#### Alcatel-Lucent additional hardware

##### Connectivity boards

###### Connectivity boards to customize the packaged cabinets

- The connectivity boards offer different communications ports
  - \* either ISDN / analog public accesses
  - \* or internal interfaces as digital / analog voice interfaces or data LAN ports



##### Expansion hardware & additional infrastructure equipments:

- To expand a customer cabinet size, add new rack modules in a total limit of 3 racks.
- To add a first new rack use a link kit # 1, to add a second new one, use a link kit # 2.
- Select the right mounting kit according customer installation:
  - \* screwed on the wall or put in a rack .
- To expand applicative capacity on a customer solution:
  - \* add memory (only on Compact and Advanced Units )
  - \* or add co-processing units (CoCPU-2) VoIP services or RAS.
- Add the suitable UPS or external battery to fit to customer power supply autonomy duration needs.



##### Expansion Rack Module 2 or 3 Packs UAI16 or SLI16

Expansion Rack modules 2 or 3 packs are designed to meet the larger capacities at an attractive price.

Expansion Rack modules 2 or 3 packs are orderable only with Alcatel-Lucent Integration Service and

Communication Suite L or XL (Business or Guest).

#### Alcatel-Lucent Office Hardware

##### Power supply cords


Don't forget to order the power cord according to the type of cabinet in stock mode.  
If you buy an OmniPCX Office with the Alcatel-Lucent Integration Service then the cord will be automatically included in the order - except for Extended Communication Server where only the European power cord is included






##### Public & Private accesses

• Digital Public Access T0 BRA8 Board - 8 Basic Rate Accesses	<b>3EH73006AB AA35</b>	<b>1080,00 EUR</b>
• Digital Public Access T0 BRA4 Board - 4 Basic Rate Accesses	<b>3EH73006AC AA35</b>	<b>640,00 EUR</b>
• Digital Public Access T0 BRA2 Board - 2 Basic Rate Accesses	<b>3EH73006AD AA35</b>	<b>420,00 EUR</b>
• APA8 Analog trunk access board for 8 trunk lines	<b>3EH73031AB AA35</b>	<b>530,00 EUR</b>
• APA4 Analog trunk access board for 4 trunk lines	<b>3EH73031BB AA35</b>	<b>270,00 EUR</b>
• E1 - T2 Balun Kit - RJ45 to coaxial	<b>3EH75004AA AA35</b>	<b>115,00 EUR</b>
• Digital Public Access Board - 1 Primary Rate E1 T2 Access	<b>3EH76037AA AA35</b>	<b>1200,00 EUR</b>
• Digital Private Access Board - 1 Primary Rate Access Private	<b>3EH76037AB AA35</b>	<b>1200,00 EUR</b>

##### User interfaces

• Mini-Mix 2/0/2 Card with splitter  Only on Compact Unit 2nd generation (CPU-3m + cabinet 2nd generation) and only from release R5.1	<b>3EH08398AA AA35</b>	<b>290,00 EUR</b>
• ISDN mixed board / 4 T0 + 8 UAI + 4 SLI	<b>3EH73015AB AA35</b>	<b>850,00 EUR</b>
• ISDN mixed board / 4 T0 + 4 UAI + 8 SLI	<b>3EH73015AC AA35</b>	<b>920,00 EUR</b>
• ISDN mixed board / 2 T0 + 4 UAI + 4 SLI	<b>3EH73015AD AA35</b>	<b>500,00 EUR</b>






## 2. Platform Communication Services

<ul style="list-style-type: none"> <li>Analog mixed board AMIX4/8/4-1 with 4 analog trunks, 8 Reflexes ports and 4 analog sets ports   Only from R3.1 release</li> </ul>	<b>3EH73061AB AA35</b>	<b>680,00 EUR</b>
<ul style="list-style-type: none"> <li>Analog mixed board AMIX4/4/8-1 with 4 analog trunks, 4 Reflexes ports and 8 analog sets ports   Only from R3.1 release</li> </ul>	<b>3EH73061AC AA35</b>	<b>750,00 EUR</b>
<ul style="list-style-type: none"> <li>Analog mixed board AMIX4/4/4-1 with 4 analog trunks, 4 Reflexes ports and 4 analog sets ports   Only from R3.1 release</li> </ul>	<b>3EH73061AD AA35</b>	<b>500,00 EUR</b>
<ul style="list-style-type: none"> <li>Reflexes™ Interfaces Board - 8 UA interfaces</li> </ul>	<b>3EH73005AC AA35</b>	<b>630,00 EUR</b>
<ul style="list-style-type: none"> <li>Reflexes™ Interfaces Board - 4 UA interfaces</li> </ul>	<b>3EH73005AD AA35</b>	<b>340,00 EUR</b>
<ul style="list-style-type: none"> <li>Digital interfaces board UAI16-1 : 16 digital interfaces</li> </ul>	<b>3EH73050AB AA35</b>	<b>1210,00 EUR</b>
<ul style="list-style-type: none"> <li>Analog Interfaces Board SLI16-1 : 16 analog interfaces</li> </ul>	<b>3EH73052AB AA35</b>	<b>1380,00 EUR</b>
<ul style="list-style-type: none"> <li>Analog Interfaces Board SLI8-1 : 8 analog interfaces</li> </ul>	<b>3EH73052AC AA35</b>	<b>715,00 EUR</b>
<ul style="list-style-type: none"> <li>Analog Interfaces Board SLI4-1 : 4 analog interfaces</li> </ul>	<b>3EH73052AD AA35</b>	<b>380,00 EUR</b>
<ul style="list-style-type: none"> <li>LANX16-2 Ethernet LAN switch board equipped with 16 ports</li> </ul>	<b>3EH73054AB AA36</b>	<b>385,00 EUR</b>
<ul style="list-style-type: none"> <li>LANX8-2 Ethernet LAN switch board equipped with 8 ports</li> </ul>	<b>3EH73054AC AA36</b>	<b>203,00 EUR</b>
<ul style="list-style-type: none"> <li>Dual ethernet connectivity daughterboard for an external ADSL modem or LAN to LAN routing</li> </ul>	<b>3EH73029AB AA36</b>	<b>62,00 EUR</b>

### Infrastructure

#### Add-on on Release 7 with CPU change


- Including CPU-4 and rehosting software licence
- Can be used for add-on on a Release 7 that requires CPU-4

<ul style="list-style-type: none"> <li>XMEM128-1 memory daughtercard 128 M Bytes   From CPU-2</li> </ul>	<b>3EH73049AE AA36</b>	<b>360,00 EUR</b>
<ul style="list-style-type: none"> <li>Voice Hard Disk - Hard Disk 2,5" &amp; Xmem IDE for voice storage expansion   Only on Advanced Unit</li> </ul>	<b>3EH08090AA AA36</b>	<b>250,00 EUR</b>
<ul style="list-style-type: none"> <li>Voice Hard Disk - Hard Disk 2,5" for Compact Edition and power back-up</li> </ul>	<b>3EH07452AA AA36</b>	<b>390,00 EUR</b>
<ul style="list-style-type: none"> <li>CoCPU-2 co-processing unit   Not on Compact Edition</li> </ul>	<b>3EH73048AK AA36</b>	<b>500,00 EUR</b>
<ul style="list-style-type: none"> <li>VoIP4-1 Daughterboard : 4 IP channels</li> </ul>	<b>3EH73063AD AA35</b>	<b>310,00 EUR</b>
<ul style="list-style-type: none"> <li>VoIP8-1 Daughterboard : 8 IP channels</li> </ul>	<b>3EH73063AC AA35</b>	<b>480,00 EUR</b>
<ul style="list-style-type: none"> <li>VoIP16-1 Daughterboard : 16 IP channels</li> </ul>	<b>3EH73063AB AA35</b>	<b>900,00 EUR</b>
<ul style="list-style-type: none"> <li>CPU LanSwitch Daughterboard</li> </ul>	<b>3EH73013AB AA36</b>	<b>105,00 EUR</b>
<ul style="list-style-type: none"> <li>OmniPCX Office Add-on hardware kit to move an Advanced Unit R7 to a Premium Unit R7 - including CPUe-2, data hard disk and the software license rehosting</li> </ul>	 <b>3EH07472AC AA36</b>	<b>990,00 EUR</b>
<ul style="list-style-type: none"> <li>Kit for add-on on OmniPCX Office R7 including CPU-4 and software license rehosting</li> </ul>	 <b>3EH07602AA AA36</b>	<b>500,00 EUR</b>
<ul style="list-style-type: none"> <li>T0CT T0 Cut-through module for T0 trunk line</li> </ul>	<b>3EH76108AA AA36</b>	<b>150,00 EUR</b>
<ul style="list-style-type: none"> <li>Controller board MEX</li> </ul>	<b>3EH73026AD AA37</b>	<b>600,00 EUR</b>
<ul style="list-style-type: none"> <li>AFU-1 Daughtercard for auxiliaries connections</li> </ul>	<b>3EH73042AC AA35</b>	<b>108,00 EUR</b>


### Mechanics

<ul style="list-style-type: none"> <li>Expansion module Rack 1</li> </ul>	<b>3EH07469AA AA31</b>	<b>380,00 EUR</b>
<ul style="list-style-type: none"> <li>Expansion module Rack 2</li> </ul>	<b>3EH07470AA AA32</b>	<b>700,00 EUR</b>
<ul style="list-style-type: none"> <li>Expansion Pack Module Rack 2 - 220V - including 2 digital interface boards UAI16-1 - Only orderable together with a L or XL communication suite (Business or Guest)</li> </ul>	<b>3EH07573AA AA32</b>	<b>1870,00 EUR</b>

## 2. Platform Communication Services

• Expansion Pack Module Rack 2 - 220V - including 2 analog Interface boards SLI16-1 - Only orderable together with a L or XL communication suite (Business or Guest)	<b>3EH07574AA AA32</b>	<b>2080,00 EUR</b>
• Expansion module Rack 3	<b>3EH07471AA AA33</b>	<b>1300,00 EUR</b>
• Expansion Pack Module Rack 3 - 220V - including 2 digital interface boards UAI16-1 - Only orderable together with a L or XL communication suite (Business or Guest)	<b>3EH07575AA AA33</b>	<b>2230,00 EUR</b>
• Expansion Pack Module Rack 3 - 220V - including 2 analog Interface boards SLI16-1 - Only orderable together with a L or XL communication suite (Business or Guest)	<b>3EH07576AA AA33</b>	<b>2440,00 EUR</b>
• Module link kit 1 for first additional expansion module including : 2x HSL1 Daughterboard and one MEX controller board and one Uplink cable	<b>3EH08088AA AA33</b>	<b>1060,00 EUR</b>
• Module link kit 2 for second additional expansion module including : 1 x HSL2 Daughterboard and 1 x MEX controller board and 1 x Uplink cable	<b>3EH08089AA AA33</b>	<b>1060,00 EUR</b>
• Mounting kit for Rack 1	<b>3EH75007AA AA36</b>	<b>60,00 EUR</b>
• Mounting kit for Rack 2	<b>3EH75010AA AA36</b>	<b>60,00 EUR</b>
• Mounting kit for Rack 3	<b>3EH75001AB AA36</b>	<b>60,00 EUR</b>
• Power back-up rack kit	<b>3EH75012AB AA36</b>	<b>70,00 EUR</b>
• Wall Mounting kit for Rack 1	<b>3EH08125AA AA36</b>	<b>60,00 EUR</b>
• Wall Mounting kit for Rack 2	<b>3EH08124AA AA36</b>	<b>60,00 EUR</b>
• Blind slot stiffner (x1)	<b>3EH76034AA AA37</b>	<b>12,00 EUR</b>
 Only with Alcatel-Lucent Integration Service		
• Blind slot stiffners kit (x5)	<b>3EH08119AA AA37</b>	<b>60,00 EUR</b>

### Power supply back-up

• UPS range : Power back-up 375 VA (55W/1H)	<b>3EH76090AE AA36</b>	<b>170,00 EUR</b>
• UPS range : Power back-up 1000 VA (105W/1H)	<b>3EH76090AH AA36</b>	<b>325,00 EUR</b>
• UPS range : Power back-up 1500 VA (185W/1H)	<b>3EH76090AG AA36</b>	<b>500,00 EUR</b>
• Remote power booster for UAI16-1 (splitter and 48V power supply) to extend the number of radio base stations up to 16 on one board and terminal options	<b>3EH07458AA AA36</b>	<b>145,00 EUR</b>
• Rack box for external batteries 12V	<b>3EH76155AA AA36</b>	<b>200,00 EUR</b>
• Rack box for external batteries 36V	<b>3EH76155AB AA36</b>	<b>200,00 EUR</b>
• External stack battery box 12V for OmniPCX Office Rack 1&2	<b>3EH76177AB AA36</b>	<b>50,00 EUR</b>
• External stack battery box 36V for OmniPCX Office Rack 3	<b>3EH76177AC AA36</b>	<b>50,00 EUR</b>
• External Stack power back-up 12V for OmniPCX Office Compact Edition (2 batteries/up to 8 hours capacity)	<b>3EH76177AD AA36</b>	<b>150,00 EUR</b>
 Without battery and power cord		
• Connection kit for external battery back-up	<b>3EH75031AA AA36</b>	<b>30,00 EUR</b>
• 7AH/12V battery	<b>3EH76156AA AA36</b>	<b>50,00 EUR</b>
• Enhanced power back-up 1250 kit: power backup 1500 & external battery for Uninterrupted Power Supply 1500 powers 100 watts during 1H30 hours.	<b>3EH76210AA AA36</b>	<b>1570,00 EUR</b>
• Additional external battery for Uninterrupted Power Supply 1250, with an additional 100 watts lasting 4 hours	<b>3EH76211AA AA36</b>	<b>685,00 EUR</b>

### System cables

• Straight Ethernet cable - RJ45/RJ45 - Length = 3 m	<b>3AK21492AA AA36</b>	<b>10,00 EUR</b>
• Power cord country Europe (VII) for OmniPCX Office Unit 1,2&3	<b>3EH35004AA AA36</b>	<b>12,00 EUR</b>
• Power cord country UK (JF89) for OmniPCX Office Unit 1,2&3	<b>3EH35004AB AA36</b>	<b>12,00 EUR</b>
• Power cord country Switzerland for OmniPCX Office Unit 1,2&3	<b>3EH35010AA AA36</b>	<b>12,00 EUR</b>
• Power cord country Europe (VII) for OmniPCX Office Compact Unit	<b>3EH75034AA AA36</b>	<b>12,00 EUR</b>
• Power cord country UK (JF89) for OmniPCX Office Compact Unit	<b>3EH75035AA AA36</b>	<b>12,00 EUR</b>
• Power cord country Switzerland for OmniPCX Office Compact Unit	<b>3EH75036AA AA36</b>	<b>12,00 EUR</b>



### 3. Office software & applications

#### 3.1 Office Communication Suites

## Alcatel-Lucent Office - Global offer Office Communication Suite, Software licenses and Applications



#### Office First and Business Software Pack

For **Basic** and **Advanced** communication services for small and medium businesses. The **First Software Pack** is delivered **without** voice mail for an entry-level services. The **Business Software Pack** includes a voice mail application (2 ports & 60 min) in addition to the following features:






- Personal Assistant - Up to 4 customizable company greetings
- 2 mn customized Music on Hold - 2 system languages
- Remote customization for voice mail and automated attendant
- Automatic Route Selection (ARS) - Direct Inward Selection Access (DISA)
- 3000 names directory - 1000 NMC tickets
- up to 75 PIMphony Basic sessions on Compact & Advanced Unit
- up to 200 PIMphony Basic sessions on Premium Unit



#### Office Communication Suites First

- |   |  |                        |                   |
|---|--|------------------------|-------------------|
| • CallServer Office: 2 advanced, 4 analog sw license, 1 mixed board sw license opening 1T0 or 2AT   |  | <b>3EH03266AA CC30</b> | <b>40,00 EUR</b>  |
| • CallServer Office: 10 advanced, 10 analog sw license, 2 mixed board sw license opening 2T0 or 4AT |  | <b>3EH03267AA CC30</b> | <b>240,00 EUR</b> |

#### Office Communication Suites Business

- |  |  |                        |                    |
|--|--|------------------------|--------------------|
| • CallServer Office: 8 advanced, 8 analog sw lic, 2 mixed board sw lic opening 2T0 or 4AT - voice mail 2 ports & up to 60mn storage sw lic   |  | <b>3EH03268AA CC30</b> | <b>320,00 EUR</b>  |
| • CallServer Office: 16 advanced, 16 analog sw lic, 2 mixed board sw lic opening 2T0 or 4AT - voice mail 2 ports & up to 60mn storage sw lic |  | <b>3EH03269AA CC30</b> | <b>370,00 EUR</b>  |
| • CallServer Office: 30 advanced, 30 analog sw lic, voice mail 2 ports & up to 60mn storage sw lic   |  | <b>3EH03270AA CC30</b> | <b>440,00 EUR</b>  |
| • CallServer Office: 50 advanced, 50 analog sw lic, voice mail 2 ports & up to 60mn storage sw lic   |  | <b>3EH03271AA CC30</b> | <b>790,00 EUR</b>  |
| • CallServer Office: 100 advanced, 100 analog sw lic, voice mail 2 ports & up to 60mn storage sw lic   |  | <b>3EH03272AA CC30</b> | <b>1380,00 EUR</b> |

### 3. Office software & applications

#### Office Communication Suites Guest

##### Office Guest Software Pack

Dedicated to hospitality market with Advanced communication services including:

- Voice mail (2 ports and 60 min storage)
- Personal Assistant - Up to 4 customizable company greetings
- 2 mn customized Music on Hold - 2 system languages
- Remote customization for voice mail and automated attendant
- Automatic Route Selection (ARS) - Direct Inward Selection Access (DISA)
- 3000 names directory - 1000 NMC tickets
- up to 75 PIMphony Basic sessions on Compact & Advanced Unit
- up to 200 PIMphony Basic sessions on Premium Unit
- Standard Voice mail: 2 ports & 60 mn / User mailbox greeting
- Accounting over IP software license for Hospitality Link activation



- |  |  |                        |                    |
|--|--|------------------------|--------------------|
| • CallServer Office: 5 advanced users, 20 analog users sw lic, voice mail 2 ports & up to 60mn storage sw lic - Call accounting over IP sw lic   |  | <b>3EH03273AA CC30</b> | <b>90,00 EUR</b>   |
| • CallServer Office: 5 advanced users, 40 analog users sw lic, voice mail 2 ports & up to 60mn storage sw lic - Call accounting over IP sw lic   |  | <b>3EH03274AA CC30</b> | <b>390,00 EUR</b>  |
| • CallServer Office: 10 advanced users, 70 analog users sw lic, voice mail 2 ports & up to 60mn storage sw lic - Call accounting over IP sw lic  |  | <b>3EH03275AA CC30</b> | <b>790,00 EUR</b>  |
| • CallServer Office: 10 advanced users, 120 analog users sw lic, voice mail 2 ports & up to 60mn storage sw lic - Call accounting over IP sw lic |  | <b>3EH03276AA CC30</b> | <b>1380,00 EUR</b> |

#### Office Communication Suites Business IP

##### Office Business IP Software Pack

The **Business IP Software pack** provides an Advanced communication services for IP users and the access to added-value applications on IP Touch phones in addition to the following features :

- Personal Assistant - Up to 4 customizable company greetings
- 2 mn customized Music on Hold - 2 system languages
- Remote customization for voice mail and automated attendant
- Automatic Route Selection (ARS) - Direct Inward Selection Access (DISA)
- 3000 names directory - 1000 NMC tickets
- up to 75 PIMphony Basic sessions on Compact & Advanced Unit
- up to 200 PIMphony Basic sessions on Premium Unit
- Standard Voice mail: 2 ports & 60 mn / User mailbox greeting



- |   |  |                        |                    |
|---|--|------------------------|--------------------|
| • CallServer IPT Office: 8 advanced IP users, 5 analog users software license - voice mail 2 ports & up to 60mn storage software license    |  | <b>3EH03277AA CC30</b> | <b>120,00 EUR</b>  |
| • CallServer IPT Office: 16 advanced IP users, 5 analog users software license - voice mail 2 ports & up to 60mn storage software license   |  | <b>3EH03278AA CC30</b> | <b>390,00 EUR</b>  |
| • CallServer IPT Office: 30 advanced IP users, 5 analog users software license - voice mail 2 ports and up to 60mn storage software license |  | <b>3EH03279AA CC30</b> | <b>1205,00 EUR</b> |
| • CallServer IPT Office: 70 advanced IP users, 5 analog users software license - voice mail 2 ports and up to 60mn storage software license |  | <b>3EH03280AA CC30</b> | <b>3490,00 EUR</b> |
| • CallServer IPT Office: 120 advanced IP users, 5 analog users software license - voice mail 2 ports & up to 60mn storage software license  |  | <b>3EH03281AA CC30</b> | <b>5925,00 EUR</b> |




### 3. Office software & applications

#### Office Extended Communication Suite

##### Extended Communication Pack

The **Extended Communication Suite** provides collaboration, unified communication mobility and a native XML web services interface to OmniPCX Office including My Phone, My IP Touch, My Messaging & My Management (with Premium Edition server) or My IP touch (with Compact Edition server). The Extended Communication Suite is required in addition to the Extended Communication Server: Compact Edition, Premium Edition or Premium Edition Max. Choose the right Communication suite according to the number of Extended users required and the server capacity.



• 8 Extended Office users software license	<b>3JE05029AA CC31</b>	<b>750,00 EUR</b>
• 30 Extended Office users software license	<b>3JE05030AA CC31</b>	<b>1900,00 EUR</b>
• 70 Extended Office users software license	<b>3JE05031AA CC31</b>	<b>3900,00 EUR</b>
• 140 Extended Office users software license	<b>3JE05032AA CC31</b>	<b>6600,00 EUR</b>

### 3.2 Office Software licenses

#### User licenses















##### Users licenses:

##### Users licenses to complete the Communication Suite

A large set of users software licenses in addition to the Communication Suite

- the feature-rich advanced users and IP advanced users
- the powerful MOBILITY applications, DECT & IP mobile users, off-site mobile users, extended communication users and push mobile users.
- Traffic license to adapt your very small and small configuration at the right price



• 1 additional Advanced user software license		<b>3EH03097AB CC30</b>	<b>60,00 EUR</b>
• 10 additional Advanced users software license		<b>3EH03097AA CC30</b>	<b>370,00 EUR</b>
• 1 additional IP user software license		<b>3EH03102AB CC30</b>	<b>100,00 EUR</b>
• 10 additional IP users software license		<b>3EH03102AA CC30</b>	<b>630,00 EUR</b>
• 1 analog user software license		<b>3EH03098AB CC30</b>	<b>60,00 EUR</b>
• 10 analog users software license		<b>3EH03098AA CC30</b>	<b>370,00 EUR</b>
• 1 additional on-site mobile DECT user software license		<b>3EH03099AB CC30</b>	<b>45,00 EUR</b>
• 10 additional on-site mobile DECT users software license		<b>3EH03099AA CC30</b>	<b>380,00 EUR</b>
• 1 additional on-site mobile IP user software license		<b>3EH03176AB CC30</b>	<b>140,00 EUR</b>
• 10 additional on-site mobile IP users software license		<b>3EH03176AA CC30</b>	<b>990,00 EUR</b>
• 1 additional off-site any mobile phone user software license		<b>3EH03283AA CC30</b>	<b>70,00 EUR</b>
• 10 additional off-site any mobile phone user software license		<b>3EH03283AB CC30</b>	<b>480,00 EUR</b>
• 1 additional off-site user software license - For Windows Mobile devices		<b>3EH07569AA CC30</b>	<b>120,00 EUR</b>
• 10 additional off-site mobile user software license - For Windows Mobile devices		<b>3EH07569AB CC30</b>	<b>890,00 EUR</b>
• 1 additional off-site user software license - For Nokia devices		<b>3EH07570AA CC30</b>	<b>120,00 EUR</b>

### 3. Office software & applications

#### Extended Communication user licenses

##### FAX server Software Option

The FAX server application is an option of the Extended Communication Server. This application provides Fax2Mail and Mail2Fax capabilities that work with Alcatel-Lucent OmniPCX Office. This makes sending, receiving and managing faxes as easy and fast as managing e-mails. In addition, a print-to-fax server feature allows users to send faxes from any application that can print.

The Fax server license pack includes :



- 2 FAX server ports for up to 2 simultaneous FAX communications (incoming and/or outgoing)
- 2 OmniPCX Office IP trunk software licence



OmniPCX Office R7 minimum required - (HW : OmniPCX Office VoIP resources)

• 1 additional Extended Office user software license	<b>3JE05033AA CC31</b>	<b>160,00 EUR</b>
• 10 additional Extended Office users software license	<b>3JE05033AB CC31</b>	<b>990,00 EUR</b>
• Pack FAX Server license including 2 FAX ports and 2 IP trunks software licenses	<b>3EH03291AA CC32</b>	<b>990,00 EUR</b>

##### Trunk licenses

• Mixed board software license opening 1T0 or 2AT		<b>3EH03157AA CC30</b>	<b>150,00 EUR</b>
• 2 additional IP channels software license		<b>3EH03286AA CC30</b>	<b>110,00 EUR</b>
• 8 additional IP channels software license		<b>3EH03286AB CC30</b>	<b>225,00 EUR</b>
• 16 additional IP channels software license		<b>3EH03286AC CC30</b>	<b>430,00 EUR</b>

##### Voice Greeting services

##### Voice Greeting applications

###### Greeting & Voice Mail applications














A complete set of greeting and voice mail applications is offered for:

- Company image improving features (Music on hold, welcome greeting)
- full featured and user-friendly personal and group mailboxes to never leave a call unanswered
- powerful Automated Attendant and greeting functions to provide a high level of company welcome

###### Increase teamwork efficiency

Thanks to the 6-party conference, it's become easy and cost-effective to organize regular audio conference and share information.



• 2 Additional languages software license  Hard disk or Xmem required		<b>3EH03057AB CC30</b>	<b>120,00 EUR</b>
• 4 additional company greetings software license  Hard disk or Xmem required		<b>3EH03027AA CC30</b>	<b>200,00 EUR</b>
• 10 minutes music on hold software license  Hard disk required		<b>3EH03028AB CC30</b>	<b>120,00 EUR</b>
• Voice mail, up to 4 hours storage software license  Hard disk required or Xmem 128		<b>3EH03107AD CC30</b>	<b>400,00 EUR</b>
• Voice mail, up to 8 hours storage software license  Hard disk required		<b>3EH03107AB CC30</b>	<b>500,00 EUR</b>
• Voice mail, up to 200 hours storage software license  Hard disk required		<b>3EH03107AC CC30</b>	<b>1500,00 EUR</b>
• Voice mail, 2 additional ports software license		<b>3EH03106AA CC30</b>	<b>300,00 EUR</b>

### 3. Office software & applications

- Distribution lists and record on line features software license



Hard disk required



3EH03092AA CC30

400,00 EUR

#### Automated Attendant services

- Personalized Automated Attendant, Audiotext and Fax modem switch software license



Hard disk required



3EH03179AA CC30

240,00 EUR

- Multiple Automated Attendant with 1 tree software license



Hard disk required



3EH03247AA CC30

750,00 EUR

- Multiple Automated Attendant with 5 tree Software license



Hard disk required



3EH03247AB CC30

1300,00 EUR

- Upgrade from Multiple Automated Attendant 1 tree to 5 trees software license



3EH03248AA CC30

750,00 EUR

#### Teamwork services

- 6-party conference software license



3EH03225AA CC30

500,00 EUR

#### Network services

##### Network services & Metering

##### Networking services over Internet or ISDN

A complete set of networking services is offered for :

- Internet access and Web functionalities
- Virtual Private Network (VPN) for remote access over the Internet
- ISVPN Private Networking for deployment of multi-sites topology over ISDN
- RAS license for the deployment of remote worker solution over ISDN



##### An openness for metering system to control your telecommunication costs

Control your telecommunication cost thanks to the Call accounting over IP license.

This license is necessary for an external accounting system using the web-services.

- Internet and Web Software license including Internet Access & Firewall, Proxy/Cache server, Intranet and File server



On Premium Unit and WAN



3EH03249AA CC30

500,00 EUR

- Internet VPN (Virtual Private Network) software license



Only on Premium Unit



3EH03078AB CC30

700,00 EUR

- 4 additional B channels software license



3EH03009AC CC30

190,00 EUR

- ISVPN & QSIG-BC software license



3EH03053AA CC30

200,00 EUR

- Remote Access Server on ISDN up to 2 B channels software license



Hard disk required



3EH03076AB CC30

150,00 EUR

#### Metering services

- Call accounting over IP software license



3EH03177AA CC30

120,00 EUR

- 1000 additional NMC call accounting tickets software license



3EH03029AA CC30

150,00 EUR

#### Extended Communication mobility

- 1 user "push mobile" software license

3JE05039AA CC32

140,00 EUR

### 3. Office software & applications

#### Extended Communication services

##### Extended Communication Third Party Software Options

Specialty software packages to enrich the Extended Communication platforms:

- KasperSky Antivirus solution for mails and the attachments
- URL Filtering Optenet Corporation to ensure safe and pertinent Internet browsing



• KasperSky Antivirus : License for Extended Communication Solution Compact Edition - 12 months	<b>3JE05011AA CC32</b>	<b>560,00 EUR</b>
• KasperSky Antivirus : License for Extended Communication Solution Compact Edition - Renewal 12 months	<b>3JE05011AB CC32</b>	<b>390,00 EUR</b>
• Kaspersky Antivirus: Licence for Extended Communication Solution Premium Edition - 12 months	<b>3JE05023AA CC32</b>	<b>1 125,00 EUR</b>
• Kaspersky Antivirus: Licence for Extended Communication Solution Premium Edition - Renewal 12 months	<b>3JE05023AB CC32</b>	<b>790,00 EUR</b>
• URL Filtering Optenet: Licence & maintenance for Extended Communication Solution Compact Edition - 12 months	<b>3JE05024AA CC32</b>	<b>780,00 EUR</b>
• URL Filtering Optenet: Licence & maintenance for Extended Communication Solution Premium Edition - 12 months	<b>3JE05025AA CC32</b>	<b>1 540,00 EUR</b>

### 3.3 Softphone application

#### Productivity and Assistant applications










##### Softphone PIMphony application

PIMphony is a powerful and user-friendly PC Softphone: it allows users to manage daily phone tasks from an ergonomic and intuitive graphical interface to improve personal productivity, provide a personalised answer to callers, interaction with common PIM applications (Outlook & Lotus Note, Goldmine, Act & Access), screen pop-up, supervision , centralized phonebook, ...


- **PIMphony Basic delivered with all OmniPCX Office:**  
for all employees who want to integrate phone tasks management in their PC
- **PIMphony Pro:**  
for users who manage daily an important volume of calls such as salesmen
- **PIMphony Team:**  
for users dealing with workgroups communications or managing multiple lines  
PIMphony Team is automatically delivered with each Extended Office User
- **PIMphony Attendant:**  
for operator or assistants, a cost efficient alternative solution to a PC based operator console




#### PIMphony user

• 1 PIMphony Pro user software license		<b>3EH03100AA CC30</b>	<b>155,00 EUR</b>
• 10 PIMphony Pro users software license		<b>3EH03100AC CC30</b>	<b>940,00 EUR</b>
• 20 PIMphony Pro users software license		<b>3EH03100AD CC30</b>	<b>1 600,00 EUR</b>
• 1 PIMphony Team user software license		<b>3EH03180AA CC30</b>	<b>245,00 EUR</b>
• 10 PIMphony Team users software license		<b>3EH03180AC CC30</b>	<b>1 450,00 EUR</b>
• 20 PIMphony Team users software license		<b>3EH03180AD CC30</b>	<b>1 980,00 EUR</b>
• 1 PIMphony Attendant user software license		<b>3EH03182AA CC30</b>	<b>480,00 EUR</b>
• 1 IP-PIMphony media user software license		<b>3EH03103AB CC30</b>	<b>180,00 EUR</b>
• 10 IP-PIMphony media users software license		<b>3EH03103AA CC30</b>	<b>1 152,00 EUR</b>

#### PIMphony Options & Upgrade

• 10 additional PIMphony users upgrade		<b>3EH03159AA CC30</b>	<b>120,00 EUR</b>
• PIMphony R6 CD-ROM including Software and documentation		<b>3EH34032AA CC30</b>	<b>16,00 EUR</b>

### 3. Office software & applications

- |  |  |                        |                  |
|--|--|------------------------|------------------|
| • PIMphony release R5.0 software license   |  | <b>3EH03156AA CC30</b> | <b>0,07 EUR</b>  |
| • PIMphony R5 CD-ROM including PIMphony, OmniTouch Call Center Office and TAPI 2.1 softwares, as well as Easy config software, User manual for operator position and users guides of the terminals for Release 4 Applications & Management Tools |  | <b>3EH34026AA DD12</b> | <b>10,00 EUR</b> |

#### 3.4 Contact Center

##### Call Center applications

###### Call center functions to provide professional call distribution service






A professional solution for managing distribution of incoming calls. It allows every call to be immediately and efficiently connected to the most appropriate person or service.

Alcatel-Lucent OmniTouch Call Center Office offers different packages :







- **Easy Contact** provides an intelligent call distribution for small department
- **Welcome Office** provides an intelligent call distribution for small call center
- **Welcome Office Pro** provides an intelligent call distribution for small and medium call center with statistics and additional options are available :
- increase the capacity of agents
- agents complementary application
- supervisor facilities
- statistics services



##### OmniTouch Call Center Office

- |  |  |                        |                    |
|--|--|------------------------|--------------------|
| • Software license EasyContact Office for Alcatel-Lucent OmniTouch Call Center Office application (limited to 5 agents)  |  | <b>3EH03135AC CC30</b> | <b>890,00 EUR</b>  |
| • Software license Welcome Office Pro for Alcatel-Lucent OmniTouch Call Center Office application<br> <i>Hard disk required</i> |  | <b>3EH03135AB CC30</b> | <b>6250,00 EUR</b> |
| • Software license Welcome Office for Alcatel-Lucent OmniTouch Call Center Office application  |  | <b>3EH03135AA CC30</b> | <b>2750,00 EUR</b> |
| • OmniTouch Welcome Office Pro up to 32 simultaneous active agents software license  |  | <b>3EH03201AA CC30</b> | <b>2400,00 EUR</b> |

##### OmniTouch Call Center Office options & upgrade

- |  |  |                        |                    |
|--|--|------------------------|--------------------|
| • Software license Agent Assistant for Alcatel-Lucent OmniTouch Call Center Office application   |  | <b>3EH03137AA CC30</b> | <b>190,00 EUR</b>  |
| • Software license Supervisor Console for Alcatel-Lucent OmniTouch Call Center Office application  |  | <b>3EH03138AA CC30</b> | <b>1250,00 EUR</b> |
| • Software license Statistic Monitoring for Alcatel-Lucent OmniTouch Call Center Office application<br> <i>Hard disk required</i> |  | <b>3EH03145AA CC30</b> | <b>2125,00 EUR</b> |
| • Software license upgrade from EasyContact Office to Welcome Office   |  | <b>3EH03155AA CC30</b> | <b>2135,00 EUR</b> |
| • Welcome Office to Welcome Office Pro upgrade software license for Alcatel-Lucent OmniTouch Call Center Office application  |  | <b>3EH03136AA CC30</b> | <b>3750,00 EUR</b> |



## 4. OmniVista

### 4.1 4760

#### Network Management application

##### Call Accounting & Network management center

###### Alcatel-Lucent 4760 application range

In a stand-alone or networked environment, is offered:

- a **CALL ACCOUNTING** application managing one or many sites for cost control
- a **NETWORK MANAGEMENT** application managing many sites for configuration, call accounting, traffic analysis issues.
- a **VoIP PERFORMANCE** application, for a better follow up of the VoIP traffic and quality and an easy integration of VoIP in the customer's data network



Alcatel-Lucent 4760 Accounting additional software license for 10 extensions		<b>3BA09619AA CC11</b>	<b>130,00 EUR</b>
Alcatel-Lucent 4760 Accounting additional software license for 100 extensions		<b>3BA09633AA CC11</b>	<b>180,00 EUR</b>
Alcatel-Lucent 4760 Start pack additional software license for 10 extensions (Configuration, Alarms, Accounting)		<b>3BA09624AA CC11</b>	<b>250,00 EUR</b>
Alcatel-Lucent 4760 Start Pack additional software license for 100 extensions		<b>3BA09638AA CC11</b>	<b>300,00 EUR</b>
Alcatel-Lucent 4760 migration from accounting to NMC software license for 30 extensions		<b>3BA03145AA CC11</b>	<b>500,00 EUR</b>
Alcatel-Lucent 4760 migration from accounting to NMC software license: 10 additional extensions		<b>3BA09778AA CC11</b>	<b>130,00 EUR</b>
Alcatel-Lucent 4760 migration from accounting to NMC for 250 extensions		<b>3BA09779AA CC11</b>	<b>1500,00 EUR</b>
Alcatel-Lucent 4760 migration from accounting to NMC : 100 additional extensions		<b>3BA09780AA CC11</b>	<b>150,00 EUR</b>
Alcatel-Lucent 4760 Release 5.0 Accounting application: Base 30 subscribers software license up to 140 users		<b>3BA03175AD CC11</b>	<b>525,00 EUR</b>
Alcatel-Lucent 4760 Release 5.0 Network Management Center application Start Pack Base 30 subscribers software license up to 130 users		<b>3BA03176AD CC11</b>	<b>898,00 EUR</b>
Alcatel-Lucent 4760 Release 5.0 Accounting application: Base 250 subscribers software license from 140 users onwards		<b>3BA03177AD CC11</b>	<b>1920,00 EUR</b>
Alcatel-Lucent 4760 Release 5.0 Network Management Center application Start Pack Base 250 subscribers software license from 130 users onwards		<b>3BA03178AD CC11</b>	<b>3120,00 EUR</b>

#### Options & Upgrade

##### VoIP Performance

###### Alcatel-Lucent 4760 option on Accounting & NMC pack Release 5

VoIP Performance is an option for the Accounting and NMC pack to monitor Voice over IP communication for a better follow up of the VoIP traffic and quality.



Alcatel-Lucent 4760 VoIP Performance option, Base 30 subscribers software license up to 130 users		<b>3BA03180AA CC11</b>	<b>375,00 EUR</b>
Alcatel-Lucent 4760 VoIP Performance - additional software license for 10 users		<b>3BA09015JA CC11</b>	<b>120,00 EUR</b>
Alcatel-Lucent 4760 VoIP Performance Option, Base 250 subscribers software license from 140 users onwards		<b>3BA09014JA CC11</b>	<b>1675,00 EUR</b>
Alcatel-Lucent 4760 VoIP Performance - additional software license for 100 users		<b>3BA09016JA CC11</b>	<b>170,00 EUR</b>
Alcatel-Lucent 4760 Topology option software license		<b>3BA09640AA CC11</b>	<b>4500,00 EUR</b>
Alcatel-Lucent 4760 Tracking option software license		<b>3BA09641AA CC11</b>	<b>2400,00 EUR</b>
Alcatel-Lucent 4760 Client additional software license		<b>3BA09642AA CC11</b>	<b>1000,00 EUR</b>
Alcatel-Lucent 4760 license upgrade (by step of 100 extensions)		<b>3BA09674AA CC11</b>	<b>40,00 EUR</b>
Alcatel-Lucent 4760 Accounting & NMC upgrade package to R5.0 for 100 subscribers		<b>3BA03179AD CC11</b>	<b>100,00 EUR</b>

## 5. User applications

### Application interfaces

#### Alcatel-Lucent CTI/CSTA interfaces

Thanks to the TAPI and CSTA interfaces, OmniPCX Office enables the management of a large portfolio of external applications referenced in the Alcatel-Lucent Applications Partner Program (AAPP), as for example Call Center, Call Accounting, ...

#### XML interfaces

Access to added-value applications on IP Touch terminals as well as Web-based telephony services on PC (including call log, directory, nomadic, etc... functions)



### 5.1 Open Telephony interfaces

#### CSTA interfaces

• CSTA desktop client base software license including : 25 monitoring & 25 sessions		<b>3EH03052AA CC30</b>	<b>2400,00 EUR</b>
• CSTA server base software license including : 10 monitoring & 4 sessions		<b>3EH03056AA CC30</b>	<b>2000,00 EUR</b>
• 20 additional monitoring CSTA server software license		<b>3EH03044AB CC30</b>	<b>700,00 EUR</b>
• Up to 25 sessions CSTA server software license		<b>3EH03043AC CC30</b>	<b>1000,00 EUR</b>
• Busy Lamp Field feature software license mandatory for specific AAPP applications)		<b>3EH03071AA CC30</b>	<b>500,00 EUR</b>
• Software license for busy lamp field application on operator PC (mandatory for specific AAPP applications)		<b>3EH03131AA CC30</b>	<b>550,00 EUR</b>

#### TAPI/TSAPI Interfaces

• TAPI 2.0 "Direct Connection" server base software license including : 4 monitoring & 2 sessions		<b>3EH03062AD CC30</b>	<b>220,00 EUR</b>
• Up to 25 TAPI 2.0 "Direct Connection" sessions server software license		<b>3EH03096AC CC30</b>	<b>650,00 EUR</b>
• TAPI 2.1 server base software license including : 10 monitoring & 4 sessions		<b>3EH03054AA CC30</b>	<b>1300,00 EUR</b>
• 20 additional monitoring TAPI 2.1 software license		<b>3EH03046AB CC30</b>	<b>500,00 EUR</b>
• Up to 25 sessions TAPI 2.1 software license		<b>3EH03045AC CC30</b>	<b>1000,00 EUR</b>

### 5.2 e-Communication Center

#### Alcatel-Lucent My Teamwork Office Edition

##### My Teamwork Office Edition

My Teamwork office Edition is a software and browser-based solution, deployed on-site onto a single server running on common computer hardware with no client download required. Feature set includes :

- Audio conferencing for ad hoc and scheduled events
- Desktop and application sharing for data collaboration sessions
- Attachment distribution
- Windows Mobile 5 Pocket PC client

My Teamwork packages include:













- My Teamwork audio & data conferencing ports
- Associated OmniPCX Office IP trunk software licences






*OmniPCX Office R6 minimum required - (HW : OmniPCX Office VoIP resources)*

• OmniTouch My Teamwork R6.0 DVD-R (software and documentation)		<b>3BH11686AF CC18</b>	<b>60,00 EUR</b>	
• My Teamwork Office Edition R6 - 8 audio ports, 8 data ports, 8 IP trunks software licenses		<b>3EH03253AB CC18</b>	<b>6650,00 EUR</b>	

## 5. User applications

• My Teamwork Office Edition R6 - 12 audio ports, 12 data ports, 12 IP trunks software licenses		<b>3EH03254AB CC18</b>	<b>9350,00 EUR</b>	
• My Teamwork Office Edition R6 - 16 audio ports, 16 data ports, 16 IP trunks software licenses		<b>3EH03255AB CC18</b>	<b>12050,00 EUR</b>	
• My Teamwork Office Edition R6 - 24 audio ports, 24 data ports, 24 IP trunks software licenses		<b>3EH03256AB CC18</b>	<b>15650,00 EUR</b>	
• My Teamwork Office Edition R6 - 48 audio ports, 48 data ports, 48 IP trunks software licenses		<b>3EH03257AB CC18</b>	<b>21600,00 EUR</b>	
• My Teamwork 2 additional audio conferencing ports		<b>3EH03258AA CC18</b>	<b>1800,00 EUR</b>	
• My Teamwork - 2 additional data conferencing ports		<b>3EH03259AA CC18</b>	<b>1800,00 EUR</b>	
• Software license upgrade of OmniTouch MyTeamWork Office Edition to release R6		<b>3EH03294AA CC18</b>	<b>1800,00 EUR</b>	

### 5.3 XML Interfaces

• Web Services R5.x DVD-R (software and documentation)		<b>3BH11619AG CC18</b>	<b>60,00 EUR</b>	
• XML Web Services R5 Base 10 subscribers		<b>3EH03204AB CC30</b>	<b>500,00 EUR</b>	
• XML Web Services (My Phone, My IP Touch, My Messaging & My Management services) software license for 10 additional users		<b>3EH03205AA CC30</b>	<b>500,00 EUR</b>	
• Upgrade pack to R5 for XML Web Services		<b>3EH03264AA CC30</b>	<b>0,07 EUR</b>	



## 6. Sets & On site mobility equipments

### 6.1 Desktop sets

#### 8 Series IP Touch sets

## Alcatel-Lucent Office - Global offer Wired & Wireless sets

### IP Touch range

- A professional range of modern IP desktop phones are offered targeting different customers profiles:
- from individual performance to team work, from basic telephony to executive needs
- always with an attractive, innovative and intuitive design and ergonomy
- the highest level of comfort and ergonomy together with the freedom of Bluetooth wireless communication
- Add-on modules complete the phone ranges to extend the multi-line appearance

New Extended Edition sets are backward compatible till R5.x



Alcatel-Lucent IP Touch 4068 phone extended edition Urban Grey, Bluetooth® 1.2, 1/4 VGA colour display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27062TB DD15</b>	<b>449,00 EUR</b>
Alcatel-Lucent IP Touch 4068 phone extended edition, Ice Blue, Bluetooth® 1.2, 1/4 VGA colour graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, no power supply	<b>3GV27062TC DD15</b>	<b>449,00 EUR</b>
Alcatel-Lucent IP Touch 4038 phone extended edition Urban Grey, 6 lines graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27061TB DD15</b>	<b>349,00 EUR</b>
Alcatel-Lucent IP Touch 4038 phone extended edition Ice Blue, 6 lines graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27061TC DD15</b>	<b>349,00 EUR</b>
Alcatel-Lucent IP Touch 4028 phone extended edition Urban Grey, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27060TB DD15</b>	<b>269,00 EUR</b>
Alcatel-Lucent IP Touch 4028 phone extended edition Ice Blue, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY Nordic alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27060TC DD15</b>	<b>269,00 EUR</b>
Alcatel-Lucent IP Touch 4018 phone extended edition Urban Grey, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Comfort handset, without power supply	<b>3GV27063TB DD15</b>	<b>149,00 EUR</b>
Alcatel-Lucent IP Touch 4018 phone extended edition Ice Blue, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Comfort handset, without power supply	<b>3GV27063TC DD15</b>	<b>149,00 EUR</b>
Alcatel-Lucent IP Touch 4008 phone extended edition Urban Grey, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Standard handset, without power supply, no additional PC Ethernet port	<b>3GV27064TB DD15</b>	<b>99,00 EUR</b>
Alcatel-Lucent IP Touch 4008 phone extended edition Ice Blue, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Standard handset, without power supply, no additional PC Ethernet port	<b>3GV27064TC DD15</b>	<b>99,00 EUR</b>

## 6. Sets & On site mobility equipments

### 9 Series digital sets

#### 9 Series digital range

- A professional range of modern digital phones is offered targeting different customers profiles:
- from individual performance to team work, from basic telephony to executive needs
- always with an attractive, innovative and intuitive design and ergonomy
- the highest level of comfort and ergonomy
- Add-on modules complete the phone ranges to extend the multi-line appearance.



• Alcatel-Lucent 4039 Digital phone Urban Grey, 6 lines graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY keyboard, Comfort handset, headset jack	<b>3GV27009TB DD17</b>	<b>320,00 EUR</b>
• Alcatel-Lucent 4039 Digital phone Ice Blue, 6 lines graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY keyboard, Comfort handset, headset jack	<b>3GV27009TC DD17</b>	<b>320,00 EUR</b>
• Alcatel-Lucent 4029 Digital phone Urban Grey, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY alphabetic keyboard, Standard handset, headset jack	<b>3GV27010TB DD17</b>	<b>210,00 EUR</b>
• Alcatel-Lucent 4029 Digital phone Ice Blue, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY alphabetic keyboard, handset, headset jack	<b>3GV27010TC DD17</b>	<b>210,00 EUR</b>
• Alcatel-Lucent 4019 Digital phone Urban Grey, 1x20 characters display, 2 directions navigator, group listening, 6 programmable keys with LED, standard handset	<b>3GV27011TB DD17</b>	<b>110,00 EUR</b>
• Alcatel-Lucent 4019 Digital phone Ice Blue, 1x20 characters display, 2 directions navigator, group listening, 6 programmable keys with LED, standard handset	<b>3GV27011TC DD17</b>	<b>110,00 EUR</b>

### Options for 8&9 Series sets

#### 8/9 Series options and accessories:

- For each Alcatel-Lucent 8/9 Series phones, a complete range of options and accessories is provided:
  - ADD-ON MODULES
  - the INTERFACE MODULES for V24, S0 and analog enablers
  - BLUETOOTH HANDSET and COMFORT HANDSET with softgrip
  - HEADSETS for operator position or office use
  - WALL-MOUNTING kits, FOOT-STAND, LABELS, CORDS, KEYBOARD COVER ...
  - CONFERENCING module



• Additional module with 10 keys and icons for Alcatel-Lucent 4028/4029/4038/4039/4068 phones, Urban Grey, paper labels, connecting cable, not chainable	<b>3GV27001AB DD15</b>	<b>69,00 EUR</b>
• Additional module with 10 keys and icons for Alcatel-Lucent 4028/4029/4038/4039/4068 phones, Ice Blue, paper labels, connecting cable, not chainable	<b>3GV27001AC DD15</b>	<b>69,00 EUR</b>
• Additional module with 40 keys and icons for Alcatel-Lucent 4028/4029/4038/4039/4068 phones, with foot, Urban Grey, paper labels, connecting cable	<b>3GV27002AB DD15</b>	<b>119,00 EUR</b>
• Additional module with 40 keys and icons for Alcatel-Lucent 4028/4029/4038/4039/4068 phones, with foot, Ice Blue, paper labels, connecting cable	<b>3GV27002AC DD15</b>	<b>119,00 EUR</b>
• Smart display additional module for Alcatel-Lucent 4028/4029/4038/4039/4068 phones, Urban Grey, with 14 keys, foot	<b>3GV27013AB DD15</b>	<b>249,00 EUR</b>

## 6. Sets & On site mobility equipments

- |   |                        |                   |
|---|------------------------|-------------------|
| • Smart display additional module for Alcatel-Lucent 4028/4029/4038/4039/4068 phones, Ice Blue, with 14 keys, foot                          | <b>3GV27013AC DD15</b> | <b>249,00 EUR</b> |
| • Alcatel-Lucent OmniTouch 4125 Compact Conferencing Module for Alcatel-Lucent IP Touch and Digital phones with a jack plug 3,5mm connector | <b>3GV28113AA FF13</b> | <b>189,00 EUR</b> |

### Accessories for 8&9 Series sets

- |   |                        |                   |
|---|------------------------|-------------------|
| • Blank paper labels for Alcatel-Lucent 4018/4019 phones (x50)  | <b>3GV27041AB DD15</b> | <b>40,00 EUR</b>  |
| • Optional Keyboard cover for IPTouch series 8&9 Urban Grey color - by pack of 8 samples  | <b>3GV27058AB DD15</b> | <b>100,00 EUR</b> |
| • Optional Keyboard cover for IPTouch series 8&9 Ice Blue color - by pack of 8 samples  | <b>3GV27058AC DD15</b> | <b>100,00 EUR</b> |
| • Battery (x 1) for Bluetooth® wireless handset for Alcatel-Lucent IP Touch 4068 phone  | <b>3GV28041AB DD15</b> | <b>20,00 EUR</b>  |
| • Comfort soft grip handset with built-in hearing aid for Alcatel-Lucent IP Touch et Digital phones, enhanced audio quality, Urban Grey | <b>3GV27032AB DD15</b> | <b>50,00 EUR</b>  |
| • Comfort soft grip handset with built-in hearing aid for Alcatel-Lucent IP Touch et Digital phones, Enhanced audio quality, Ice Blue   | <b>3GV27032AC DD15</b> | <b>50,00 EUR</b>  |
| • Handset cord RJ9/RJ9 350mm for Alcatel-Lucent IP Touch et Digital phones (x10)  | <b>3GV27033AB DD15</b> | <b>59,00 EUR</b>  |
| • Handset cord RJ9/RJ9 600mm for Alcatel-Lucent IP Touch et Digital phones (x10)  | <b>3GV27034AB DD15</b> | <b>59,00 EUR</b>  |
| • Wall mounted kit for all Alcatel-Lucent IP Touch and Digital phones   | <b>3GV27020AB DD15</b> | <b>20,00 EUR</b>  |
| • Foot-stand 60° for all Alcatel-Lucent IP Touch and Digital phones   | <b>3GV27019AB DD15</b> | <b>20,00 EUR</b>  |
| • Blank paper labels for additional key modules Alcatel-Lucent 10 & 40 keys (x50)   | <b>3GV27039AA DD15</b> | <b>40,00 EUR</b>  |
| • Wireless handset Bluetooth® Urban Grey for Alcatel-Lucent IP Touch 4068 phone, extended edition, including battery                    | <b>3GV27059AB DD15</b> | <b>130,00 EUR</b> |
| • Wireless handset Bluetooth® Ice Blue for Alcatel-Lucent IP Touch 4068 phone, extended edition, including battery Ice Blue             | <b>3GV27059AC DD15</b> | <b>130,00 EUR</b> |

### Common option and accessories for 8&9 series and Reflexes™ sets

- |  |                        |                   |
|--|------------------------|-------------------|
| • Analogue interface for Alcatel-Lucent Digital phones - compatible with Reflexes™ range - RJ11/RJ11 3M cable - 50Hz - 220V Europe power supply  | <b>3GV27014AB DD17</b> | <b>110,00 EUR</b> |
| • V24 and CTI interfaces module for Alcatel-Lucent Digital phones (OmniPCX Office only) - compatible with Reflexes™ range - RJ11/RJ11 3M cable - 3m SubD9 male/ SubD9 female cable             | <b>3GV27015AB DD17</b> | <b>350,00 EUR</b> |
| • S0 interface for Alcatel-Lucent Digital phones - compatible with Reflexes™ range - RJ11/RJ11 3M cable - 220V Europe power supply   | <b>3GV27016AB DD17</b> | <b>150,00 EUR</b> |
| • Multiple UA module to connect up to 3 Alcatel-Lucent Digital phones - compatible with Reflexes™ range - RJ11/RJ11 3M cable - 2 RJ11/RJ11 10M cables -  | <b>3GV27018AB AA35</b> | <b>215,00 EUR</b> |
| • Module relaying the ringing signal towards an external device for Alcatel-Lucent IP Touch and Digital phones, compatible with Reflexes™ range, with RJ11/RJ11 3m cable, without power supply | <b>3GV28050AA FF11</b> | <b>210,00 EUR</b> |
| • USB headset kit (kit containing a headset and an USB adaptor)  | <b>3BA27678AA FF13</b> | <b>150,00 EUR</b> |
| • Corded headset for Alcatel-Lucent IP Touch, Digital and Reflexes™ phones - Monaural - including jack plug 3,5mm and RJ11 plugs connectors - GN Netcom - GN2100 3 in 1 micro boom             | <b>3GV28045AB FF11</b> | <b>149,00 EUR</b> |
| • Corded headset for Alcatel-Lucent IP Touch, Digital and Reflexes™ phones - Binaural - Including jack plug 3,5mm and RJ11 plugs connectors - GN Netcom - GN2100 3 in 1 micro boom             | <b>3GV28046AB FF11</b> | <b>179,00 EUR</b> |
| • Corded headset for Alcatel-Lucent IP Touch, Digital and Reflexes™ phones - Monaural - including jack plug 3,5mm and RJ11 plugs connectors - Plantronics - Supra Plus H251 voice tube         | <b>3GV28047AB FF11</b> | <b>149,00 EUR</b> |
| • Corded headset for Alcatel-Lucent IP Touch, Digital and Reflexes™ phones - Binaural - Including jack plug 3,5mm and RJ11 plugs connectors - Plantronics - Supra Plus H261 voice tube         | <b>3GV28048AB FF11</b> | <b>179,00 EUR</b> |
| • BIWAY module Headphone / Handset switch  | <b>3BA57209AA FF11</b> | <b>72,00 EUR</b>  |

### Power supply for sets

## 6. Sets & On site mobility equipments

- 48V power supply for IP Touch phones, S0 interface modules and 4070 IBS.  
Pack of 4 items (EU plug)

**3GV28109AA FF13****45,00 EUR**

### 6.2 DECT on site mobility equipment

#### DECT On-site mobility equipments

##### DECT Base Stations and DECT handsets

- A full-featured set of DECT equipments is provided to address companies indoor mobility concerns:
  - Indoor & Outdoor & Explosion proof BASE STATIONS
  - The new Innovative & Ergonomical DECT/GAP MOBILE PHONES range
  - DECT Cordless desktop terminals



#### DECT handsets

- Alcatel-Lucent 300 DECT handset pack includes set, battery, belt clip, quick guide (without charger, without power supply)
- Alcatel-Lucent 400 DECT handset pack includes set, battery, belt clip, quick guide (without charger, without power supply)
- Alcatel-Lucent 300 Ex DECT handset pack for identified explosion-proof areas includes set, battery, specific pouch & user guide (w/o charger, w/o power supply)

**3BN67301AA DD18****175,00 EUR****3BN67302AA DD18****260,00 EUR****3BN67303AA DD18****1560,00 EUR**

#### Accessories for DECT handsets

#### DECT On-site mobility equipments

##### DECT handsets Accessories

- For each DECT on-site mobility equipments, accessories are available:
  - For DECT handset :
    - \* HEADSETS, BELT CLIP, CASES or BATTERY
  - For the DECT base stations:
    - \* POWER SUPPLY, SUPPORT, CORDS or CONNECTORS, GAIN ANTENNAS & PROTECTION



- Basic charger (without power supply) for Alcatel-Lucent 300&400 DECT handset
- Dual charger (without power supply) for Alcatel-Lucent 300&400 DECT handset
- Power supply for Alcatel-Lucent 300&400 DECT Basic Charger type Europe
- Power supply for Alcatel-Lucent 300&400 DECT Dual Charger type Europe
- Spare - Belt clip for Alcatel-Lucent 300&400 DECT handset (x5 package)
- Swivel carrying case (black color) with keypad cover for Alcatel-Lucent 300&400 DECT handset
- Bracket for basic/dual charger Alcatel-Lucent DECT 300&400 (wall-mounting or weight function) (x10 package)
- Spare - Battery for Alcatel-Lucent 300/400 DECT handset
- Spare - Battery cover for Alcatel-Lucent 300 DECT handset (x5 package)
- Spare - Battery cover for Alcatel-Lucent 400 DECT handset (x5 package)
- Corded headset for DECT/WLAN handsets - Monaural - jack plug 2,5mm - Plantronics M175
- 300 EX DECT handset carrying case
- Alcatel-Lucent Mobile 200 Ex Reflexes™ Specific Case
- LI-ION battery for 300 DECT handset EX
- Li-Ion battery for Alcatel-Lucent Mobile 200 Reflexes™
- NiMH battery for Alcatel-Lucent Mobile 100 Reflexes™

**3BN67318AA DD18****15,00 EUR****3BN67319AA DD18****50,00 EUR****3BN67307AB DD18****10,00 EUR****3BN67306AB DD18****15,00 EUR****3BN67312AA DD18****40,00 EUR****3BN67317AA DD18****30,00 EUR****3BN67320AA DD18****40,00 EUR****3BN67305AA DD18****35,00 EUR****3BN67313AA DD18****40,00 EUR****3BN67304AA DD18****45,00 EUR****3BN78158AA FF13****36,00 EUR****3BN67314AA DD18****65,00 EUR****3BD52290AA EE11****65,00 EUR****3BN67315AA DD18****350,00 EUR****3BN67137AA EE11****78,00 EUR****3BN67138AA EE11****50,00 EUR**

## 6. Sets & On site mobility equipments

• LI-ION battery for Alcatel-Lucent Mobile 200Ex Reflexes™	<b>3BN67149AA EE11</b>	<b>350,00 EUR</b>
• 4 spare rotating clips for Alcatel-Lucent DECT handset carrying cases (DECT 100/200/300/400)	<b>3BN67171AA DD18</b>	<b>26,00 EUR</b>
• Software downloader tool for Alcatel-Lucent 300&400 DECT handset	<b>3BN67316AA DD18</b>	<b>50,00 EUR</b>

### Indoor & Outdoor Base stations

• Alcatel-Lucent 4070 IO-RF : Indoor DECT base station - Remote feeding (Europe)	<b>3BN67159AA EE10</b>	<b>555,00 EUR</b>
• Alcatel-Lucent 4070 EO-RF : Outdoor DECT base station - Remote feeding (Europe)	<b>3BN67159AB EE10</b>	<b>885,00 EUR</b>
• Alcatel-Lucent 4070 IO EX IBS : Intrinsically safe indoor/outdoor IBS	<b>3BN67172AA EE10</b>	<b>3800,00 EUR</b>

### Accessories for base stations

• Alcatel-Lucent gain antenna 8dB right circular polarisation	<b>3BD52205AA FF11</b>	<b>38,00 EUR</b>
• Alcatel-Lucent gain antenna 8dB left circular polarisation	<b>3BD52206AA FF11</b>	<b>38,00 EUR</b>
• Alcatel-Lucent SMA male connector (3mm diameter)	<b>3BD52211AA FF11</b>	<b>5,00 EUR</b>
• Alcatel-Lucent gain antenna 7,5dB omnidirectional	<b>3BD52212AA FF11</b>	<b>185,00 EUR</b>
• Alcatel-Lucent indoor suspension kit for base station	<b>3BD52213AA FF11</b>	<b>36,00 EUR</b>
• Indoor/outdoor corner wall support for Alcatel-Lucent base station	<b>3BD52214AA FF11</b>	<b>41,00 EUR</b>
• Alcatel-Lucent indoor/outdoor remote wall mounting kit for base station	<b>3BD52215AA FF11</b>	<b>39,00 EUR</b>
• Alcatel-Lucent SMA male/SMA male cord, 5mm diameter, 1m long	<b>3BD52217AA FF11</b>	<b>33,00 EUR</b>
• Alcatel-Lucent 2-channel separator	<b>3BD52218AA FF11</b>	<b>54,00 EUR</b>
• Alcatel-Lucent 3-channel separator	<b>3BD52219AA FF11</b>	<b>86,00 EUR</b>
• Alcatel-Lucent SMA female/SMA male antenna lightning arrester	<b>3BD52220AA FF11</b>	<b>150,00 EUR</b>
• Alcatel-Lucent SMA female/female adaptor (0°)	<b>3BD52221AA FF11</b>	<b>11,00 EUR</b>
• Alcatel-Lucent mounting kit for mast diameter 40 to 90mm	<b>3BD52224AA FF11</b>	<b>18,00 EUR</b>

## 6.3 WLAN on site mobility equipment

### WiFi on-site mobility equipments

#### WIFI handsets and SVP server

A feature rich Voice over WLAN range of WIFI handset, the Mobile IP Touch 600/300.

For the deployment of the Voice over WLAN different equipments are offered :

- the VoWLAN SVP server to prioritize voice packets within the IP network
- the Mobile IP Touch handsets providing enhanced communication services and a set of accessories



### WLAN handsets

• Alcatel-Lucent IP Touch 310 WLAN handset pack includes set + standard battery + basic charger + quick guide (without power supply)	<b>3BN78140AA FF13</b>	<b>415,00 EUR</b>
• Alcatel-Lucent IP Touch 610 WLAN handset pack includes set + standard battery + basic charger + quick guide (without power supply)	<b>3BN78141AA FF13</b>	<b>465,00 EUR</b>
• Power supply Europe for desktop basic/dual charger - Alcatel-Lucent WLAN handset 'Mobile IP Touch 300&600' & 'IP Touch 310&610'	<b>3BN78120EU FF13</b>	<b>10,00 EUR</b>

### Accessories for WLAN handsets

• Power Supply Europe for Gang/Quad Charger - Alcatel-Lucent WLAN handset 'Mobile IP Touch 600' & 'IP Touch 310&610'	<b>3BN78116EU FF13</b>	<b>20,00 EUR</b>
• Swivel belt clip for Alcatel-Lucent IP Touch 310 WLAN handset	<b>3BN78148AA FF13</b>	<b>15,00 EUR</b>
• Swivel belt clip for Alcatel-Lucent IP Touch 610 WLAN handset	<b>3BN78149AA FF13</b>	<b>15,00 EUR</b>
• Swivel carrying case (black color), with keypad cover for IP Touch 310 WLAN handset	<b>3BN78150AA FF13</b>	<b>25,00 EUR</b>
• Swivel carrying case (black color), with keypad cover for Alcatel-Lucent IP Touch 610 WLAN handset	<b>3BN78152AA FF13</b>	<b>25,00 EUR</b>
• Carrying case (black color), rugged holster for Alcatel-Lucent IP Touch 310&610 WLAN handset. Plastic belt clip	<b>3BN78151AA FF13</b>	<b>25,00 EUR</b>
• Lanyard for Alcatel-Lucent IP Touch 310&610 WLAN handset	<b>3BN78155AA FF13</b>	<b>5,00 EUR</b>

## 6. Sets & On site mobility equipments

• Spare - Basic Charger without power supply for Alcatel-Lucent IP Touch 310&610 WLAN handset	<b>3BN78142AA FF13</b>	<b>40,00 EUR</b>
• Dual Charger without power supply for Alcatel-Lucent IP Touch 310& 610 WLAN handset (intensive use)	<b>3BN78143AA FF13</b>	<b>70,00 EUR</b>
• Quad Charger without power supply for Alcatel-Lucent IP Touch 310&610 WLAN handset (intensive use)	<b>3BN78144AA FF13</b>	<b>195,00 EUR</b>
• Spare - Standard battery (up to 4-hour talk time) for Alcatel-Lucent IP Touch 310&610 WLAN handset	<b>3BN78145AA FF13</b>	<b>35,00 EUR</b>
• Extended battery (up to 6-hour talk time) for Alcatel-Lucent IP Touch 310&610 WLAN handset	<b>3BN78146AA FF13</b>	<b>50,00 EUR</b>
• Ultra extended battery (up to 8-hour talk time) for Alcatel-Lucent IP Touch 310&610 WLAN handset	<b>3BN78147AA FF13</b>	<b>65,00 EUR</b>
• Battery for Alcatel-Lucent Mobile IP Touch 300 WLAN handset	<b>3BN78103AA FF13</b>	<b>35,00 EUR</b>
• Battery for Alcatel-Lucent Mobile IP Touch 600 WLAN handset	<b>3BN78108AA FF13</b>	<b>55,00 EUR</b>

### VoWLAN servers

• Alcatel-Lucent SVP Server 10 for WLAN handsets supporting max 10 simultaneous calls, providing voice prioritization mechanism. Power supply is country-specific, must be ordered separately.	<b>3BN78138AA FF13</b>	<b>350,00 EUR</b>
• Alcatel-Lucent SVP Server 20 for WLAN handsets supporting max 20 simultaneous calls, providing voice prioritization mechanism. Power supply is country-specific, must be ordered separately.	<b>3BN78139AA FF13</b>	<b>680,00 EUR</b>
• Alcatel-Lucent SVP Server 100 for WLAN handsets supporting max 100 simultaneous calls, providing voice prioritization mechanism. Power supply is country-specific, must be ordered separately.	<b>3BN78129AA FF13</b>	<b>1360,00 EUR</b>
• Power Supply for Alcatel-Lucent SVP server - Europe	<b>3BN78132EU FF13</b>	<b>40,00 EUR</b>

### Accessories for VoWLAN servers

• Alcatel-Lucent rack Mount Kit for SVP server	<b>3BN78122AA FF13</b>	<b>35,00 EUR</b>
--	------------------------	------------------
















## 7. Complementary equipments

# Alcatel-Lucent Office - Global offer

## Complementary items

### Alcatel-Lucent Office Software Add-on

#### 7.1 Software add-on instal base

- |  |  |                        |                   |
|--|--|------------------------|-------------------|
| • Compact Edition R4: Evolution license from model First to model Pro adds: 1 mixed board opening in addition 1T0 or 2AT, 6 Advanced & 4 analog users, 10 PIMphony Basic users, 2 voice mail ports & up to 20mn storage, Mailbox Greeting & Personal Assistant |    | <b>3EH03169AA CC30</b> | <b>300,00 EUR</b> |
| • Compact Edition R4: Evolution license IPT for model First adds: 8 IP Advanced users, 10 PIMphony Basic users, 2 voice mail ports & up to 20mn storage, Mailbox Greeting & Personal Assistant   |    | <b>3EH03170AA CC30</b> | <b>180,00 EUR</b> |
| • Additional automated attendant features software license : Automated attendant customization & Audio Text<br> <i>Hard disk required</i>                                     |    | <b>3EH03022AB CC30</b> | <b>120,00 EUR</b> |
| • Up to 75 TAPI 2.0 "direct connection" sessions server software license   |    | <b>3EH03096AB CC30</b> | <b>500,00 EUR</b> |
| • Up to 200 TAPI 2.0 "direct connection" sessions server software license<br> <i>Only on Premium Unit</i>   |    | <b>3EH03096AA CC30</b> | <b>850,00 EUR</b> |
| • Voice mail and Automated Attendant remote customization software license<br> <i>Only on R2. to R6.</i>   |    | <b>3EH03082AA CC30</b> | <b>200,00 EUR</b> |
| • 1 additional nomadic user software license<br> <i>Only on R5. and R6.</i>   |  | <b>3EH03246AA CC30</b> | <b>30,00 EUR</b>  |
| • 10 additional nomadic users software license<br> <i>Only on R5. and R6.</i>   |  | <b>3EH03246AB CC30</b> | <b>210,00 EUR</b> |

#### 7.2 Documentation

##### Documentation - Maintenance:

All user documentations are available in one DVD ROM. And for maintenance purpose, specific hardware components are listed hereafter.

- |  |                        |                  |
|--|------------------------|------------------|
| • Alcatel-Lucent OmniPCX Office User documentation DVD including user manual, users guides of the terminals and label set tool | <b>3EH34041AA DD12</b> | <b>10,00 EUR</b> |
|--|------------------------|------------------|

## 8. Migration & Maintenance

### 8.1 OmniPCX Migration & Upgrade

#### OmniPCX Migration & Upgrade

##### Upgrade from a release R1, R2, R3, R4, R5 or R6 to release R7.x :

Commercial items to upgrade the OmniPCX Office to the release 7.x. The upgrade kit provided in this section is only Software upgrade kit if additional Hardware is necessary, the hardware will be ordered in the Hardware section.

		COMPACT EDITION R7.1	ADVANCED EDITION R7.1	PREMIUM EDITION R7.1	PREMIUM EDITION + INTERNET R7.1
From R1.x, 2.x, 3.x & 4.x					
<b>BUSINESS :</b> OXO 25, 50, 100 or 200	CPU	NR	CPU-43EH04025AC Hard Disk 3EH08090AA Software Upgrade kit 3EH03184AC	Premium Unit 1, 2 or 3 3EH08437AA, 3EH08438xA, 3EH08439xA Software Upgrade kit + Internet 3EH03184AC + 3EH03249AA	
<b>BUSINESS :</b> OXO 25, 50, 100 or 200	CPU-1 **	NR	Hard Disk 3EH08090AA Software Upgrade kit 3EH03183AC	Premium Unit 1, 2 or 3 3EH08437AA, 3EH08438xA, 3EH08439xA Software Upgrade kit + Internet 3EH03184AC + 3EH03249AA	
<b>BUSINESS :</b> Compact & OXO 25, 50, 100 or 200	CPU-2 without Hard Disk **	Hard Disk+power back- up 3EH07452AA Software Upgrade kit 3EH03183AC	Voice Hard Disk 3EH08090AA Software Upgrade kit 3EH03183AC	Premium Unit 1, 2, 3 3EH08437AA, 3EH08438xA, 3EH08439xA <sup>1</sup> or CPUe-2 + Data Hard Disk 3EH04023AA, 3EH04019AA Software Upgrade kit + Internet 3EH03184AC + 3EH03249AA	
<b>BUSINESS :</b> OXO 25, 50, 100 or 200	CPU-1 or CPU-2 with Hard Disk **	No Hardware needed Software Upgrade kit 3EH03183AC	No Hardware needed Software Upgrade kit 3EH03183AC	Premium Unit 1, 2, 3 3EH08321AA, 3EH08322xA, 3EH08323xA <sup>1</sup> or CPUe-2 + Data Hard Disk 3EH04023AA, 3EH04019AA Software Upgrade kit + Internet 3EH03184AC + 3EH03249AA	
<b>e-BUSINESS:</b> OXO e25, e50, e100, e200	CPUe	NR			Premium Unit 1, 2 or 3 3EH08437AA, 3EH08438xA, 3EH08439xA <sup>1</sup> Software Upgrade kit 3EH03184AC
<b>e-BUSINESS:</b> OXO e25, e50, e100, e200	CPUe-1 or CPUe-2	NR			No Hardware needed Software Upgrade kit 3EH03183AC
From Release 5.x & 6.x					
<b>COMPACT or ADVANCED Unit</b>	CPU-3 or CPU-3m **	Hard Disk+power back- up 3EH07452AA Software Upgrade kit 3EH03183AC	Voice Hard Disk 3EH08090AA Software Upgrade kit 3EH03183AC	Premium Unit 1, 2, 3 3EH08437AA, 3EH08438xA, 3EH08439xA <sup>1</sup> or CPUe-2 + Data Hard Disk 3EH04023AA, 3EH04019AA Software Upgrade kit + Internet 3EH03184AC + 3EH03249AA	
<b>PREMIUM Unit</b>	CPUe-2	NR		No Hardware needed Software Upgrade kit 3EH03183AC Internet Access 3EH03249AA	
From Release 7.x					
<b>COMPACT or ADVANCED Unit</b>	CPU-4	NR		Add-on kit from Advanced to Premium R7 3EH07472AC included in Add-on kit Internet Access 3EH03249AA	
<b>PREMIUM Unit</b>	CPUe-2	NR		No Hardware needed No Software needed Internet Access 3EH03249AA	

\* Cabinet 220V x = A \* Cabinet 110V x = L

 HARDWARE  SOFTWARE

\*\* If OmniTouch Call Center Office & VoIP board on main CPU then CPU-4 (3EH04025AC) and Software upgrade kit with rehosting (3EH03184AC) are mandatory

- Software license upgrade kit to OmniPCX Office R7 without CPU change including 10 additional mixed boards opening 10 T0 and 20 AT , Call Accounting and remote customization over IP software licenses
- Software license upgrade kit to OmniPCX Office R7 with CPU change including 10 additional mixed boards opening 10 T0 and 20 AT , Call Accounting and remote customization over IP software licenses
- Software Upgrade license from OmniPCX Office Release 2 to Release 4

 **3EH03183AC CC30 450,00 EUR**

 **3EH03184AC CC30 450,00 EUR**

 **3EH03292AA CC30 180,00 EUR**



## 8. Migration & Maintenance

### Extended Communication Server upgrade

#### Upgrade from an Eye-box release R3.x to Extended Communication Server Release R4.0

• Upgrade kit for Compact (USB external hard disk) from Eye-box R3.x to Extended Communication Server R4.0	<b>3JE03023AA AA50</b>	<b>680,00 EUR</b>
• Upgrade kit for Premium (internal hard disk) from Eye-box R3.x to Extended Communication Server R4.0	<b>3JE03024AA AA50</b>	<b>970,00 EUR</b>

### 8.2 Maintenance

• Dedicated hard disk for CPUe-1/CPUe-2 with software tool	<b>3EH04019AA AA37</b>	<b>525,00 EUR</b>
• e-Business Processing unit CPUe-2 without hard disk	<b>3EH04023AA AA37</b>	<b>800,00 EUR</b>
• Advanced processing unit CPU-4 with software tool	<b>3EH04025AC AA37</b>	<b>500,00 EUR</b>
• Power supply board kit for 2nd/3rd generation rack 1 (110/220V)	<b>3EH05009AC AA37</b>	<b>320,00 EUR</b>
• Power supply board kit for 2nd/3rd generation rack 2 (220V)	<b>3EH05012AC AA37</b>	<b>450,00 EUR</b>
• Power supply board kit for 3rd generation rack 3 (220V)	<b>3EH05013AC AA37</b>	<b>610,00 EUR</b>
• Back panel board for OmniPCX Office Rack2 2nd/3rd generation	<b>3EH05016AA AA37</b>	<b>100,00 EUR</b>
• Back panel board for OmniPCX Office Rack3 2nd/3rd generation	<b>3EH05017AA AA37</b>	<b>100,00 EUR</b>
• Memory extension SDRAM 256 Mbytes	<b>3EH05018AA AA37</b>	<b>470,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Compact Edition assembled cabinet 2nd generation (generic, with back panel board and marked cabling cover)	<b>3EH08271AB AA37</b>	<b>240,00 EUR</b>
• Memory extension SDRAM 64 Mbytes	<b>3EH65004AA AA37</b>	<b>246,00 EUR</b>
• Battery Kit - 12V/1.2 AH	<b>3EH75002AA AA37</b>	<b>60,00 EUR</b>
• Cooling kit for Rack 2 and Rack 3	<b>3EH75005AC AA37</b>	<b>120,00 EUR</b>
• Cooling kit for Rack 1, 1st generation	<b>3EH75008AA AA37</b>	<b>65,00 EUR</b>
• Cooling kit for Rack 1, 2nd and 3rd generation	<b>3EH75018AA AA37</b>	<b>65,00 EUR</b>
• External 48V power supply for UA116-1 or power booster	<b>3EH75019AA AA37</b>	<b>120,00 EUR</b>
• Mains adapter for OmniPCX Office Compact Edition without power cord	<b>3EH75030AA AA37</b>	<b>100,00 EUR</b>
• Back panel board for OmniPCX Office Compact Edition 2nd generation	<b>3EH75038AB AA37</b>	<b>60,00 EUR</b>
• DC/DC converter for OmniPCX Office Compact Edition 2nd generation	<b>3EH75039AB AA37</b>	<b>120,00 EUR</b>
• Cabling cover with logo for OmniPCX Office Compact Edition	<b>3EH75040AA AA37</b>	<b>40,00 EUR</b>
• Splitter for Mini-Mix card	<b>3EH75057AA AA37</b>	<b>12,00 EUR</b>
• Power supply for Extended Communication Server Compact Edition	<b>3JE03016AA AA51</b>	<b>320,00 EUR</b>
• Hard Disk 250 GB for Extended Communication Server Premium Edition	<b>3JE03025AA AA51</b>	<b>500,00 EUR</b>
• Hard Disk 500 GB for Extended Communication Server Premium Edition	<b>3JE03026AA AA51</b>	<b>600,00 EUR</b>

## 9. Support Services







### 9.1 Software Support Services

# Alcatel-Lucent Office - Global offer Software Support Services



#### Software Support Services for Office Communication Solutions :

"Software Maintenance Service" (SMS) is automatically integrated when purchasing an Office Solution. SMS covers the software life cycle policy for minor software updates (bug corrections, patches) and hotline access. Pricing is 6% of discounted software WPL price (\*only for CC30, CC31&AA38), integrated in the solution invoice. It is applied for first sales or add-on.







#### OmniPCX Office

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>OmniPCX Office SES (Software Evolution Service)<br/>  Only orderable for add-on items with valid existing SES contract.</li> </ul>                  |  <b>3EY15002AA NN02</b> |
| <ul style="list-style-type: none"> <li>OmniPCX Office SES (Software Evolution Service) - auto renew<br/>  Only orderable for add-on items with valid existing SES contract.</li> </ul>     |  <b>3EY15002AB NN02</b> |
| <ul style="list-style-type: none"> <li>OmniPCX Office SEA (System Evolution Assurance) 3 years mandatory<br/>  Only orderable for add-on items with valid existing SEA contract</li> </ul> |  <b>3EY15003AA NN02</b> |

#### Extended Communication Server

- |   |                        |
|---|------------------------|
| <ul style="list-style-type: none"> <li>Extended communication solution SES<br/>  Only orderable for add-on items with valid existing SES contract.</li> </ul>               | <b>3EY16002AA NN02</b> |
| <ul style="list-style-type: none"> <li>Extended communication solution SES auto renewal<br/>  Only orderable for add-on items with valid existing SES contract.</li> </ul> | <b>3EY16002AB NN02</b> |

#### Software Support upgrade

- |   |   |                 |
|---|---|-----------------|
| <ul style="list-style-type: none"> <li>Kit including Software upgrade R7 (valid only for system with SES contracts)</li> </ul>  |  <b>3EY15101AC CC30</b> | <b>0,07 EUR</b> |
| <ul style="list-style-type: none"> <li>Kit designed for e-Business/Premium systems and Business/Advanced with hard disk systems including hardware upgrade R7 (valid only for system with SEA contracts)</li> </ul> |  <b>3EY15201AC CC30</b> | <b>0,07 EUR</b> |
| <ul style="list-style-type: none"> <li>Kit designed for Compact systems including hardware upgrade R7 (valid only for system with SEA contracts)</li> </ul>   |  <b>3EY15202AC AA37</b> | <b>0,07 EUR</b> |
| <ul style="list-style-type: none"> <li>Kit designed for Business and Advanced systems including hardware upgrade R7 (valid only for system with SEA contracts)</li> </ul>   |  <b>3EY15203AC AA37</b> | <b>0,07 EUR</b> |
| <ul style="list-style-type: none"> <li>Software Upgrade kit for OmniVista 4760 to release R5.0 under SES or SEA active contract</li> </ul>  |  <b>3BA03192AC CC11</b> | <b>0,07 EUR</b> |
| <ul style="list-style-type: none"> <li>OmnVista 4760 free software upgrade by step of 100 subscribers under SES or SEA active contract</li> </ul>   |  <b>3BA09080JA CC11</b> | <b>0,07 EUR</b> |

**10. Partner Tools**

# Alcatel-Lucent Office - Global offer

## Partners Tools

**10.1 Commercial tools**

• Tool download IP-LAN (CD-ROM)	<b>3AC35085AA FF15</b>	<b>320,00 EUR</b>
• OmniPCX Office self-training (eBT3) CD-ROM: a self training tool for sales people to learn all functions and features related to OmniPCX Office, english (R1.x)	<b>3BD04008AA FF15</b>	<b>10,00 EUR</b>
• Alcatel-Lucent OmniPCX Office CD-ROM LINUX sources files (Only from R5 release)	<b>3EH34014AJ AA37</b>	<b>40,00 EUR</b>

**10.2 Technical tools**

• Alcatel-Lucent DECT coverage on-site test tool	<b>3BN67163AA FF15</b>	<b>5200,00 EUR</b>
• USB cable for IP Touch 310&610 dual charger	<b>3BN78154AA FF13</b>	<b>20,00 EUR</b>
• Alcatel-Lucent OmniPCX Office Installation Tools DVD-R R7, including system software, OMC tools, installation process and manuals, PIMphonysoftware	<b>3EH34042AA FF15</b>	<b>5,00 EUR</b>
• Remastering kit R4.1 containing 2 DVD-Rom for Extended Communication Server R4.1	<b>3JE05038AA CC31</b>	<b>250,00 EUR</b>

## 11. Alcatel-Lucent OmniData

### 11.1 OmniSwitch 6400

#### OS6400 Chassis & PS

##### OmniSwitch 6400

Alcatel-Lucent OmniSwitch 6400 Stackable LAN Switches are gigabit-ready switches that provide advanced services for small to large IP infrastructure deployments.

Each OmniSwitch 6400 comes with:

- 10/100/1000 Ethernet user ports
- four SFP/RJ45 1-gigabit combination ports
- two 10-gigabit stacking ports.



A stack of Alcatel-Lucent OmniSwitch 6400 can have a maximum of 8 switches. A stack can go up to 384 10/100/1000 Ethernet ports. The management of the stack is simplified through a virtual chassis, whereby the full stack has one unique IP address and behaves as a single chassis. The Alcatel-Lucent OmniSwitch 6400 operates with Alcatel-Lucent operating system (AOS) software. This software provides Layer 2+ capabilities and supports native IPv4/IPv6 static and RIP routing.

OmniSwitch 6400 is also available in PoE (Power over Ethernet) version.

• OS6400-24-AR chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT , 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-24-AR YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-AU chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-24-AU YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-CH chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT , 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-24-CH YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-DN chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT , 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-24-DN YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-EU chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-24-EU YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-IN chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT , 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-24-IN YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-IS chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT , 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-24-IS YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-IT chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT , 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-24-IT YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-UK chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-24-UK YAYA7</b>	<b>1612,00 EUR</b>
• OS6400-24-US chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-24-US YAYA7</b>	<b>1612,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS6400-48-AR chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-48-AR YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-AU chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-48-AU YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-CH chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-48-CH YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-DN chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-48-DN YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-EU chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-48-EU YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-IN chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-48-IN YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-IS chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-48-IS YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-IT chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supporte	<b>OS6400-48-IT YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-UK chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-48-UK YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-48-US chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support..	<b>OS6400-48-US YAYA7</b>	<b>3073,00 EUR</b>
• OS6400-BP-AR modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-AR YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-AU modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-AU YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-CH modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-CH YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-DN modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-DN YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-EU modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-EU YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-IN modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-IN YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-IS modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-IS YAYA7</b>	<b>381,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS6400-BP-IT modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-IT YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-P-AR modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-AR YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-AU modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-AU YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-CH modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-CH YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-DN modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-DN YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-EU modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-EU YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-PH-AR modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-AR YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-AU modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-AU YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-CH modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-CH YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-DN modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-DN YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-EU modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-EU YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-IN modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-IN YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-IS modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-IS YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-IT modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-IT YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-UK modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-UK YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-PH-US modular 510W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	<b>OS6400-BP-PH-US YAYA7</b>	<b>765,00 EUR</b>
• OS6400-BP-P-IN modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-IN YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-IS modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-IS YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-IT modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-IT YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-P-UK modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-UK YAYA7</b>	<b>535,00 EUR</b>



## 11. Alcatel-Lucent OmniData

• OS6400-BP-P-US modular 360W AC backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-P-US YAYA7</b>	<b>535,00 EUR</b>
• OS6400-BP-UK modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-UK YAYA7</b>	<b>381,00 EUR</b>
• OS6400-BP-US modular 126W AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS6400-BP-US YAYA7</b>	<b>381,00 EUR</b>
• OS6400-P24-AR chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P24-AR YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-AU chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports ...	<b>OS6400-P24-AU YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-CH chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P24-CH YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-DN chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P24-DN YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-EU chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports ...	<b>OS6400-P24-EU YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24H-AR chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P24H-AR YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-AU-OS6400-24P chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P24H-AU YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-CH chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P24H-CH YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-DN chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P24H-DN YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-EU-OS6400-24P chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P24H-EU YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-IN chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P24H-IN YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-IS chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P24H-IS YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-IT chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P24H-IT YAYA7</b>	<b>2612,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS6400-P24H-UK-OS6400-24P chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P24H-UK YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24H-US-OS6400-24P chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P24H-US YAYA7</b>	<b>2612,00 EUR</b>
• OS6400-P24-IN chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P24-IN YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-IS chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P24-IS YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-IT chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P24-IT YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-UK chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports ...	<b>OS6400-P24-UK YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P24-US chassis Gigabit Ethernet chassis in a 1U form factor with 20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports ...	<b>OS6400-P24-US YAYA7</b>	<b>2381,00 EUR</b>
• OS6400-P48-AR chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P48-AR YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-AU-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48-AU YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-CH chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P48-CH YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-DN chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P48-DN YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-EU-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48-EU YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48H-AR chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P48H-AR YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-AU-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48H-AU YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-CH chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P48H-CH YAYA7</b>	<b>4304,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS6400-P48H-DN chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P48H-DN YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-EU-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48H-EU YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-IN chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P48H-IN YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-IS chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P48H-IS YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-IT chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports sup	<b>OS6400-P48H-IT YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-UK-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48H-UK YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48H-US-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48H-US YAYA7</b>	<b>4304,00 EUR</b>
• OS6400-P48-IN chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P48-IN YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-IS chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P48-IS YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-IT chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports supp	<b>OS6400-P48-IT YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-UK-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48-UK YAYA7</b>	<b>4073,00 EUR</b>
• OS6400-P48-US-OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with 44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports.	<b>OS6400-P48-US YAYA7</b>	<b>4073,00 EUR</b>

### OS6400 Accessories

• OS6400 150 centimeters long stacking cable.	<b>OS6400-CBL-150 YAYBN</b>	<b>227,00 EUR</b>
• OS6400 30 centimeters long stacking cable.	<b>OS6400-CBL-30 YAYBN</b>	<b>150,00 EUR</b>
• OS6400 60 centimeters long stacking cable.	<b>OS6400-CBL-60 YAYBN</b>	<b>173,00 EUR</b>
• Base/wall mounting kit for OS6400 models. Includes 4 brackets and screws.	<b>OS6400-MNT YAYBN</b>	<b>12,00 EUR</b>

## 11.2 OmniStack LS 6200

**11. Alcatel-Lucent OmniData****OmniStack LS 6200 Chassis & PS**

# Alcatel-Lucent Office - Global offer

## Data infrastructure

**OmniStack 6200**

OmniStack LS 6200 provides the performance and advanced services. The OmniStack LS 6200 is a great alternative when L3 routing or Gigabit speed on every ports is not needed.

OmniStack LS 6200 provides for each model :

- 12, 24 or 48 10/100 RJ45 ports
- 2 stacking 10/100/1000 RJ45 ports
- 2 uplinks (copper RJ45 or fiber SFP)



OmniStack LS 6200 is stackable and can support up to 8 stacks . The OmniStack LS 6200 is also available in PoE (Power over Ethernet) version.

OmniStack is easy to manage, it supports VLAN, provides high availability and Quality of service.

OmniStack is secure with RADIUS and TACACS support. It also provides 802.1X authentication.

**Optionally** 100 BaseFX et Gigabit Optical Ethernet Transceivers (SFP MSA) can be used to connect the switch to a corporate network or to the backbone.

• OS-LS-6212-AR Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6212-AR YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-AU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6212-AU YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-CH Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6212-CH YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-DN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6212-DN YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-EU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6212-EU YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-IN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6212-IN YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-IS Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6212-IS YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-IT Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6212-IT YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212P-AU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6212P-AU YAYA7</b>	<b>765,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS-LS-6212P-CH Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6212P-CH YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-DN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6212P-DN YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-EU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6212P-EU YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-IN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6212P-IN YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-IS Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6212P-IS YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-IT Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6212P-IT YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-UK Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6212P-UK YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212P-US Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6212P-US YAYA7</b>	<b>765,00 EUR</b>
• OS-LS-6212-UK Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6212-UK YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6212-US Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 12 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6212-US YAYA7</b>	<b>423,00 EUR</b>
• OS-LS-6224-AR Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6224-AR YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-AU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6224-AU YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-CH Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6224-CH YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-DN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6224-DN YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-EU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6224-EU YAYA7</b>	<b>577,00 EUR</b>



## 11. Alcatel-Lucent OmniData

• OS-LS-6224-IN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6224-IN YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-IS Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6224-IS YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-IT Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6224-IT YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224P-AR Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6224P-AR YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-AU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6224P-AU YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-CH Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6224P-CH YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-DN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6224P-DN YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-EU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6224P-EU YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-IN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6224P-IN YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-IS Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6224P-IS YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-IT Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6224P-IT YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-UK Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6224P-UK YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224P-US Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6224P-US YAYA7</b>	<b>1227,00 EUR</b>
• OS-LS-6224-UK Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6224-UK YAYA7</b>	<b>577,00 EUR</b>
• OS-LS-6224-US Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6224-US YAYA7</b>	<b>577,00 EUR</b>



## 11. Alcatel-Lucent OmniData

• OS-LS-6248-AR Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6248-AR YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-AU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6248-AU YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-CH Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6248-CH YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-DN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6248-DN YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-EU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6248-EU YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-IN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6248-IN YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-IS Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6248-IS YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-IT Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two	<b>OS-LS-6248-IT YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248P-AR Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6248P-AR YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-AU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6248P-AU YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-CH Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6248P-CH YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-DN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6248P-DN YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-EU Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6248P-EU YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-IN Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6248P-IN YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-IS Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6248P-IS YAYA7</b>	<b>1842,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS-LS-6248P-IT Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional	<b>OS-LS-6248P-IT YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-UK Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6248P-UK YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248P-US Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports with Power over Ethernet, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two ...	<b>OS-LS-6248P-US YAYA7</b>	<b>1842,00 EUR</b>
• OS-LS-6248-UK Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6248-UK YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6248-US Chassis. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 48 ports 10/100 RJ-45 ports, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and ...	<b>OS-LS-6248-US YAYA7</b>	<b>996,00 EUR</b>
• OS-LS-6200-AR modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-AR YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-6200-AU modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-AU YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-62BP-CH modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-CH YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-62BP-DN modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-DN YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-6200-EU modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-EU YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-62BP-IN modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-IN YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-62BP-IS modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-IS YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-62BP-IT modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-IT YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-6200-AR modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-AR YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-6200-AU modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-AU YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-62BP-P-CH modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-CH YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-62BP-P-DN modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-DN YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-6200-EU modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-EU YAYA7</b>	<b>535,00 EUR</b>

## 11. Alcatel-Lucent OmniData

• OS-LS-62BP-P-IN modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-IN YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-62BP-P-IS modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-IS YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-62BP-P-IT modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-IT YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-6200-UK modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-UK YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-6200-US modular AC backup power supply. Provides backup power to one OS-LS-6200 PoE capable switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-P-US YAYA7</b>	<b>535,00 EUR</b>
• OS-LS-6200-UK modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-UK YAYA7</b>	<b>188,00 EUR</b>
• OS-LS-6200-US modular AC backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	<b>OS-LS-62BP-US YAYA7</b>	<b>188,00 EUR</b>

### 11.3 Transceivers

#### Gigabit Transc.(SFP&GBIC MSA)

• 1000Base-LX Gigabit Ethernet optical transceiver (SFP MSA). Supports single mode fiber over 1310nm wavelength (nominal) with an LC connector. Typical reach of 10 Km on 9/125 Åm SMF.	<b>SFP-GIG-LX YAYAS</b>	<b>765,00 EUR</b>
• 1000Base-SX Gigabit Ethernet optical transceiver (SFP MSA). Supports multimode fiber over 850nm wavelength (nominal) with an LC connector. Typical reach of 300m on 62.5/125 Åm MMF or 550m on 50/125 Åm MMF.	<b>SFP-GIG-SX YAYAS</b>	<b>265,00 EUR</b>

#### 100Mbit Ethernet Transceivers

• 100Base-FX SFP transceiver with an LC type interface. This transceiver is designed for use over multimode fiber optic cable.	<b>SFP-100-LC-MM YAYAS</b>	<b>112,00 EUR</b>
• 100Base-FX SFP transceiver with an LC type interface. This transceiver is designed for use over single mode fiber optic cable up to 15KM.	<b>SFP-100-LC-SM15 YAYAS</b>	<b>253,00 EUR</b>

### 11.4 OmniAccess WLAN

#### OAW-4308 Wireless Switch

• OmniAccess 4308T-AR WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over...	<b>OAW-4308TSMB-AR YAYAW</b>	<b>4903,00 EUR</b>
• OmniAccess 4308T-AU WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over...	<b>OAW-4308TSMB-AU YAYAW</b>	<b>4903,00 EUR</b>
• OmniAccess 4308T-CH WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over...	<b>OAW-4308TSMB-CH YAYAW</b>	<b>4903,00 EUR</b>
• OmniAccess 4308T-DN WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over...	<b>OAW-4308TSMB-DN YAYAW</b>	<b>4903,00 EUR</b>
• OmniAccess 4308T-EU WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over...	<b>OAW-4308TSMB-EU YAYAW</b>	<b>4903,00 EUR</b>
• OmniAccess 4308T-IN WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over...	<b>OAW-4308TSMB-IN YAYAW</b>	<b>4903,00 EUR</b>

## 11. Alcatel-Lucent OmniData

- OmniAccess 4308T-IS WLAN switch configured for SMB voice and data applications. Radio configuration set to Israel (should be selected for deployment in Israel). Provides 8 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and one 1000BaseT .. **OAW-4308TSMB-IS YAYAW 4903,00 EUR**
- OmniAccess 4308T-IT WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over... **OAW-4308TSMB-IT YAYAW 4903,00 EUR**
- OmniAccess 4308T-UK WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployment in countries other than US and Israel). Provides 8 auto-sensing 10/100 interfaces with Power over... **OAW-4308TSMB-UK YAYAW 4903,00 EUR**
- OmniAccess 4308T-US WLAN switch configured for SMB voice and data applications. Radio configuration set to US (should be selected for deployment in the US). Provides 8 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and one 1000BaseT uplink **OAW-4308TSMB-US YAYAW 4903,00 EUR**

### OAW-4302 Wireless Switch

#### OmniAccess Wireless infrastructure 4302 - 4308

OmniAccess WLAN OAW-4302 & 4308 are part of the OmniAccess WiFi enterprise solutions. It is dedicated to small to medium sized businesses, while keeping a very high level of features to authorize secure networking and correct support of voice over WiFi.

The OAW4302 & 4308 are typically well recommended in a Voice and Data environment thanks to its advanced QoS and handover management, its easy installation with the configuration Wizard. Thanks to its Wizard configuration tool, the OAW-4302 & 4308 can be configured easily.



- Spare Power Adapter brick for the OmniAccess 4302 **OAW-4302-AC-S YAYAZ 77,00 EUR**
- OAW-4302 Optional 19 Equipment Rack Mounting Kit **OAW-4302-RM-19 YAYAW 65,00 EUR**
- OmniAccess 4302-AR WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000 **OAW-4302SMB-AR YAYAW 1146,00 EUR**
- OmniAccess 4302-AU WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000 **OAW-4302SMB-AU YAYAW 1146,00 EUR**
- OmniAccess 4302-CH WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000 **OAW-4302SMB-CH YAYAW 1146,00 EUR**
- OmniAccess 4302-DN WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000 **OAW-4302SMB-DN YAYAW 1146,00 EUR**
- OmniAccess 4302-EU WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000 **OAW-4302SMB-EU YAYAW 1146,00 EUR**
- OmniAccess 4302-IN WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000 **OAW-4302SMB-IN YAYAW 1146,00 EUR**
- OmniAccess 4302-IS WLAN switch configured for SMB voice and data applications. Radio configuration set to Israel (should be selected for deployments in Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1 x 10/100/1000 (LAN) interfaces. Supports up... **OAW-4302SMB-IS YAYAW 1146,00 EUR**

## 11. Alcatel-Lucent OmniData

- OmniAccess 4302-IT WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000
- OmniAccess 4302-UK WLAN switch configured for SMB voice and data applications. Radio configuration set to unrestricted (should be selected for deployments in countries other than US and Israel). Provides 1 x auto-sensing 10/100 (Uplink) and 1x 10/100/1000
- OmniAccess 4302-US WLAN switch configured for SMB voice and data applications. Radio configuration set to US (should be selected for deployments in the US). Provides 1 x auto-sensing 10/100 (Uplink) and 1 x 10/100/1000 (LAN) interfaces. Supports up to ...

**OAW-4302SMB-IT YAYAW 1146,00 EUR**

**OAW-4302SMB-UK YAYAW 1146,00 EUR**

**OAW-4302SMB-US YAYAW 1146,00 EUR**

### OmniAccess Wireless AP

#### OmniAccess Wireless Access Points

The OmniAccess **AP60** is a single radio, multi-band (802.11 a/b/g) thin access point with dual external antennas.

The OmniAccess **AP61** is a single radio, multi-band (802.11 a/b/g) thin access point with integral tri-band antennas.

The OmniAccess **AP65** is Alcatel's smallest, dual-radio thin architecture access point that provides concurrent operation of 802.11a and 802.11b/g services.



#### OmniAccess Wireless Access Points Accessories

For each Wifi Access Point accessories are available:

- \* Wall & Ceiling mounting kit, cables
- \* Omni-Directional, Bi-directional, wide-angle antennas for Access Point AP60 and AP61
- \* Local power supply when the AP are not powered with PoE, mounting kit, cables



• 5.150-5.875Ghz / 14.0dBi High-Gain, Directional Patch - RP-SMA Connector. Indoor / Outdoor Use. Cushcraft Part S51514WP36RSM.	<b>AP-ANT-12 YAYAZ</b>	<b>254,00 EUR</b>
• 2.4Ghz-5Ghz / 2.5-5.0 dBi Tri-Band, High Gain, Omni-Directional Detachable Antenna. RP-SMA. Indoor Use Only.	<b>AP-ANT-1B YAYAZ</b>	<b>23,00 EUR</b>
• 2.4Ghz / 6.0dBi High-Gain, Omni-Directional Cylindrical - RP-SMA Connector. Indoor Use Only. Centurion Part CAF94722 (Model IG2450-RS36).	<b>AP-ANT-2 YAYAZ</b>	<b>131,00 EUR</b>
• 2.4Ghz / 5.0dBi High-Gain, Bi-Directional Patch - RP-SMA Connector. Indoor Use Only. Centurion Part CAF94723 (Model IB2450-RS36).	<b>AP-ANT-3 YAYAZ</b>	<b>162,00 EUR</b>
• 2.4Ghz / 5.0dBi High-Gain, Omni-Directional Cylindrical - RP-SMA Connector. Indoor / Outdoor Use. Cushcraft Part S2403BPX36RSM.	<b>AP-ANT-8 YAYAZ</b>	<b>200,00 EUR</b>
• 2.4Ghz / 7.0dBi Wide-Angle 900 Directional Sector - RP-SMA Connector. Indoor / Outdoor Use. Cushcraft Part S240790PA36RSM.	<b>AP-ANT-9 YAYAZ</b>	<b>315,00 EUR</b>
• OmniAccess AP60 access point with Dual RP-SMA external antenna connectors (Supports Diversity). Supports 802.11a or 802.11b/g (SW selectable). Supports one 10/100 Base-T (RJ-45) Ethernet Interface (Power and Serial over Ethernet capable) and ...	<b>OAW-AP60 YAYAZ</b>	<b>227,00 EUR</b>
• NEMA Enclosure for the OmniAccess AP60 and AP61.	<b>OAW-AP60-ENCL YAYAZ</b>	<b>154,00 EUR</b>
• OmniAccess AP60 and AP61 wall / ceiling mounting kit. Includes mounting cradle hardware, ceiling tile clips and security screws to mount the access point securely on wall or ceiling.	<b>OAW-AP60-MNT YAYAZ</b>	<b>27,00 EUR</b>
• OmniAccess AP61 access point with Integral Tri-Band Antenna (Supports Diversity). Supports 802.11a or 802.11b/g (SW selectable). Supports one 10/100 Base-T (RJ-45) Ethernet Interface (Power and Serial over Ethernet capable) and Installation Guide. When...	<b>OAW-AP61 YAYAZ</b>	<b>227,00 EUR</b>
• OmniAccess AP65 access point with Integral Antenna (2.4Ghz & 5Ghz Bands with Diversity). Supports 802.11a and 802.11b/g. Supports one 10/100 Base-T (RJ-45) Ethernet Interface (803.3af compliant and SoE capable). Includes an Installation Guide. When no ...	<b>OAW-AP65 YAYAZ</b>	<b>381,00 EUR</b>
• OmniAccess AP65 wall, secure wall and desktop mounting kit.	<b>OAW-AP65-MNT YAYAZ</b>	<b>27,00 EUR</b>



## 11. Alcatel-Lucent OmniData

• OAW-AP60/61/65/70/120 Series AC Power Adapter Kit - Australia	<b>OAW-AP-AC-AUS2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP60/61/65/70/120 Series AC Power Adapter Kit - China	<b>OAW-AP-AC-CHN2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP60/61/65/70/120 Series AC Power Adapter Kit - Schuko	<b>OAW-AP-AC-EC2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP60/61/65/70/120 Series AC Power Adapter Kit - India	<b>OAW-AP-AC-IN2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP60/61/65/70/120 series AC Power Adapter Kit - Italy	<b>OAW-AP-AC-IT2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP 60/61/65/70/120 Series AC Power Adapter Kit - North American 2 Prong Version	<b>OAW-AP-AC-LA2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP60/61/65/70/120 series AC Power Adapter Kit - North America Version	<b>OAW-AP-AC-NA2 YAYAZ</b>	<b>42,00 EUR</b>
• OAW-AP60/61/65/70/120 series AC Power Adapter Kit - United Kingdom	<b>OAW-AP-AC-UK2 YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -AR.	<b>OAW-AP-MS1-AR YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -AU.	<b>OAW-AP-MS1-AU YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -CH.	<b>OAW-AP-MS1-CH YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -DN.	<b>OAW-AP-MS1-DN YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -EU.	<b>OAW-AP-MS1-EU YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -IN.	<b>OAW-AP-MS1-IN YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan.	<b>OAW-AP-MS1-IS YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -IT.	<b>OAW-AP-MS1-IT YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -UK.	<b>OAW-AP-MS1-UK YAYAZ</b>	<b>42,00 EUR</b>
• 1 Port POE Midspan -US.	<b>OAW-AP-MS1-US YAYAZ</b>	<b>42,00 EUR</b>
• OmniAccess serial over Ethernet break out adapter cables for OmniAccess AP60, AP61 and AP70 (over Ethernet cable).	<b>OAW-AP-SOE YAYAZ</b>	<b>19,00 EUR</b>
• OmniAccess serial over Ethernet break out adapter cables for OmniAccess AP60, AP61 and AP70 (over 802.3af Ethernet cable).	<b>OAW-AP-SOE-M YAYAZ</b>	<b>112,00 EUR</b>





























### OmniAccess Wireless Spares

• OAW-4304 and OAW-4308 Replacement 19 Equipment Rack Mounting Kit.	<b>OAW-4308-RM-19 YAYAZ</b>	<b>38,00 EUR</b>
---	-----------------------------	------------------



## Appendixes

### Discontinued Items

• Line cords with RJ11 6/4W - Length = 5m (x10)	<b>3AK27048AB</b>	
• Accessories for Reflexes™ terminals 4020/4020 IP/4035/4035 IP : Add-on module 20 programmable keys Light grey	<b>3AK27106AE</b>	
• Accessories for Reflexes™ terminals 4020/4020 IP/4035/4035 IP: Add-on module 40 programmable keys Light grey	<b>3AK27107AE</b>	
• 600mm handset cords for 4035 & 4020 Reflexes™ terminals Light grey (x10)	<b>3AK27111AC</b>	
• Blank labels for 4020/4035 Reflexes™ terminals (x50)	<b>3AK27112BA</b>	
• Blank labels for Add-on module 20 and 40 programmable keys (x50)	<b>3AK27116BA</b>	
• OmniTouch My Teamwork R5.x DVD-R (software and documentation)	<b>3BH11686AE</b>	
• Carrying case (black) for Alcatel-Lucent Mobile IP Touch 600 WLAN handset	<b>3BN78112AA</b>	
• Alcatel-Lucent Null Modem administration cable	<b>3BN78121AA</b>	
• Configuration cradle for Alcatel-Lucent IP Touch 300&600 WLAN handset. Cradle connected to a PC through RS232.	<b>3BN78135AA</b>	
• My Teamwork Office Edition R5 - 8 audio ports, 8 data ports, 8 IP trunks software licenses	<b>3EH03253AA</b>	
• My Teamwork Office Edition R5 - 12 audio ports, 12 data ports, 12 IP trunks software licenses	<b>3EH03254AA</b>	
• My Teamwork Office Edition R5 - 16 audio ports, 16 data ports, 16 IP trunks software licenses	<b>3EH03255AA</b>	
• My Teamwork Office Edition R5 - 24 audio ports, 24 data ports, 24 IP trunks software licenses	<b>3EH03256AA</b>	
• My Teamwork Office Edition R5 - 48 audio ports, 48 data ports, 48 IP trunks software licenses	<b>3EH03257AA</b>	
• OmniPCX Office SES (Software Evolution Service) - renewal 12 months	<b>3EY15008AA</b>	
• Extended communication solution SES - renewal 12 months	<b>3EY16006AA</b>	
• Alcatel-Lucent IP Touch 4038 phone Ice Blue, 6 lines graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27003TC</b>	
• Alcatel-Lucent IP Touch 4028 phone Ice Blue, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY Nordic alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27004AC</b>	
• Alcatel-Lucent IP Touch 4028 phone Urban Grey, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27004TB</b>	
• Alcatel-Lucent IP Touch 4028 phone Ice Blue, 4 lines graphical display, 4 directions navigator, 6 soft keys, hands free, QWERTY Nordic alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27004TC</b>	
• Alcatel-Lucent IP Touch 4018 phone Ice Blue, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Comfort handset, without power supply	<b>3GV27005AC</b>	
• Alcatel-Lucent IP Touch 4018 phone Urban Grey, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Comfort handset, without power supply	<b>3GV27005TB</b>	
• Alcatel-Lucent IP Touch 4018 phone Ice Blue, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Comfort handset, without power supply	<b>3GV27005TC</b>	
• Alcatel-Lucent IP Touch 4008 phone Ice Blue, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Standard handset, without power supply, no additional PC Ethernet port	<b>3GV27042AC</b>	
• Alcatel-Lucent IP Touch 4008 phone Ice Blue, 1x20 characters display, 2 directions navigator, hands free, 6 programmable keys with LED, Standard handset, without power supply, no additional PC Ethernet port	<b>3GV27042TC</b>	
• Alcatel-Lucent IP Touch 4068 phone urban grey, Bluetooth® 1.2, 1/4 VGA colour display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27043TB</b>	
• Alcatel-Lucent IP Touch 4068 phone Ice Blue, Bluetooth® 1.2, 1/4 VGA colour graphical display, 4 directions navigator, 10 soft keys, hands free, QWERTY alphabetic keyboard, Comfort handset, headset jack, PC connection, without power supply	<b>3GV27043TC</b>	

## Appendixes

### Product family classification

SAP code	Product family description
AA31	Advanced/Premium Unit 1
AA32	Advanced/Premium Unit 2
AA33	Advanced/Premium Unit 3
AA35	Voice communication boards
AA36	Hardware Infrastructure
AA37	Maintenance
AA38	Smart packs & Reference Packs
AA39	Compact Unit
AA50	Extended Communication Server
AA51	Extended Communication Server hardware options
CC11	Metering & Network Management Applications
CC30	Alcatel-Lucent OmniPCX Office Communication Suite, software licenses & applications
CC31	Extended Communication Server Software
CC32	Extended Communication Server third party application
DD12	Wired Reflexes™ Terminals (Advanced, Premium, Easy, Compl items...)
DD14	Wired Reflexes™ Terminals (First & 4095)
DD15	IP Touch sets
DD17	Digital sets
DD18	Mobility - DECT handsets (300/400)
EE10	Mobility - Base Stations
EE11	Mobility - DECT handsets (100/200)
FF11	OEM products
FF13	IP Touch WIFI handsets, VoWLAN servers
FF15	Tools for Business Partners
GG41	Alcatel-Lucent Integration Services
GG43	Professional services
NN01	SMS services
NN02	SES and SEA services
YAYA	Omni Stack
YBYB	OmniData service
YAW	Omni Access Wireless
YAZ	Access Point & Accessories

#### Legal clause

All rights reserved. The Alcatel-Lucent word and Alcatel-Lucent logo are registered trademarks and services marks of Alcatel-Lucent. No mention is made of rights with respect to other trademarks, service marks or tradenames whether registered or not, which may attach to certain words or signs used herein. The absence of such mention, however, in no way implies that there is no protection of these marks, tradenames, words or signs.

## Appendixes



[www.alcatel-lucent.com](http://www.alcatel-lucent.com)

This document is for informational or planning purposes only. It is not intended to modify, create or supplement any specifications or warranties relating to the Alcatel-Lucent products or services referenced herein. Information and/or technical specifications supplied within this document do not waive, directly or indirectly, any rights or licenses on patents or other protective rights of Alcatel-Lucent or others. The specifications mentioned in this document are subject to change without notice.